# UNIVERSAL LIBRARY OU\_162716 AWYSHINN

# TICKS A MONOGRAPH OF THE IXODOIDEA

SECOND BIBLIOGRAPHY

#### CAMBRIDGE UNIVERSITY PRESS

C. F. CLAY, MANAGER

London: FETTER LANE, E.C. Coinburgh: 100, PRINCES STREET



London: H. K. LEWIS, 136, GOWER STREET, W.C.

London: WILLIAM WESLEY AND SON, 28, ESSEX STREET, STRAND

Bew Bork: G. P. PUTNAM'S SONS

Bombay and Calcutta: MACMILLAN AND CO., Ltd.
Toronto: J. M. DENT AND SONS, Ltd.

Tokyo: THE MARUZEN-KABUSHIKI-KAISHA

All rights reserved

### **TICKS**

## A MONOGRAPH OF THE IXODOIDEA

#### By

GEORGE H. F. NUTTALL, M.A., M.D., Ph.D., Sc.D., F.R.S., Fellow of Magdalene College, Quick Professor of Biology, University of Cambridge

CECIL WARBURTON, M.A., F.Z.S., Christ's College, Zoologist to the Royal Agricultural Society

W. F. COOPER, B.A., F.Z.S., F.L.S., of the Cooper Laboratory for Economic Research, Watford

L. E. ROBINSON, A.R.C.Sc. (Lond.), of the Cooper Laboratory for Economic Research, Watford

#### BIBLIOGRAPHY OF THE IXODOIDEA II

BY

GEORGE H. F. NUTTALL, F.R.S., AND L. E. ROBINSON

> Cambridge: at the University Press

#### Cambridge :

PRINTED BY JOHN CLAY, M.A.
AT THE UNIVERSITY PRESS

#### PREFACE TO SECOND BIBLIOGRAPHY

SINCE the publication of our first Bibliography (1911) a great many papers have appeared which deal with ticks and their relation to disease. We have, moreover, collected a number of references which were omitted from the previous Bibliography.

We are indebted to Med.-Rath Dr J. Chr. Huber (Memmingen) for sending a number of titles which we should probably have overlooked. We have also to thank Mr W. E. Collinge, M.Sc., for communicating a few titles.

The present Bibliography contains 462 titles.

Our comments on the contents of the papers cited are enclosed in [] brackets.

As stated in the preface to the first Bibliography, we shall be very grateful to readers who may draw our attention to errors or omissions.

G.H.F.N. and L.E.R.

Cambridge.
2nd October, 1914.

#### FIRST BIBLIOGRAPHY

#### ERRATA

- p. 2. Aragão, H. de B. (1908): Add—also in *Brazil-Medico*, Rio de Janeiro, XXII. 111-115.
- p. 2. Aragão, H. de B. (22. xi. 1908): Add—also reprinted in Trabalhos do Instituto de Manquinhos, Rio de Janeiro, 7 pp.
- p. 3. Banks, C. S. (1904): Add—also included with Jobling and Wooley (1904) in Publication No. 14, Dept. Interior. Bur. Govt. Labs. Manila.
- p. 9. Canestrini, G. and Canestrini, R. (1882 a): delete reference as it does not relate to ticks.
- p. 10. for "Chillada" read—Chillida.
- p. 13. for "Craybill, H. W." read-Graybill, H. W.
- p. 16. for "**Du Buysson** (1896)" read—**Du Buysson, H.** (1897), and add, after "*Entomol.*"—Lxv. 217–226.
- p. 20. Pürstenberg, M. H. (1861): delete reference as it does not relate to ticks.
- p. 30. Lavarra, L. (1906): delete reference.
- p. 42. **Moufetius, T.** (1634): Hagen and Burmeister, II. 5, state that the real author is Conrad Gessner.
- p. 45. Nordenskiöld, E. (1908): for "pp. 637-672," read 637-674.
- p. 51. Rainbow, W. J. (1896): this title was cited from the Zoological Record, but Rainbow informed us in 1911 that he is not the author and he suggests that the paper may be by C. J. Pound.
- p. 51. Rainbow, W. J. (1904): delete reference, as a dipterous insect and not a true tick is meant.

Cambridge :

PRINTED BY JOHN CLAY, M.A.
AT THE UNIVERSITY PRESS

#### BIBLIOGRAPHY OF THE IXODOIDEA. II

- Aders, W. M. (1. III. 1912), The blood-sucking Arthropods of Zanzibar harmful to Man or Stock. Zanzibar: Published by the Zanzibar Gov't. Leaflet No. 2. 13 pp.
- Aitken, C. J. H. (1905), Illness following a Tick bite. Brit. Med. Journ., I. 412.
- Ajutolo, G. d' (1899-1900), Dell' Argus reflexus Latreille, parasita dell' uomo. Mem. d. r. Accad. d. Sc. Bologna, 5 s., VIII. 9.
- Amberg, E. (1910), Ornithodorus megnini Dugès im Gehörgang. Arch. Ohrenheil-kunde, LXXXII. 273-274, 1 Fig.
- Anderson, T. J. (1913), Ticks and biting Insects of Nairobi. Nairobi Laboratory Repts., Jan.-June, 1912, III. 19-20.
- Anonymous Authors (1897–1901), Taubenzecke (Argas reflexus) in Zeitschr. f. Brieftaubenkunde, Hannover, 1897, p. 787; 1899, p. 297; 1901, p. 264. [Cited by Metz, 1911, p. 4, as appealing for remedies against the tick.]
- Anonymous (1903), Un cas de parasitisme sur la peau humaine. Natural. canad., xxx. 157-162, 2 Figs.
- —— (1909), Extincion de la Garrapata. Boletin del Ministerio de Agricultura, XI., Num. 1, 2 y 3. Buenos Aires.
- Anonymous (III. 1914), Ticks in the West Indies. Agric. News, Barbadoes, XIII-p. 90. Rev. in Rev. of Applied Entomol., s. B, Med. and Veter., II. 129. [Ticks listed: Argas persicus, Boophilus australis, Amblyomma variegatum, A. hirtum, A. dissimile, Rhipicephalus sanguineus, Boophilus sp., Hyalomma aegyptium, H. longirostre, Dermacentor nitens, Rhipicephalus sp. Specimens identified by Nuttall and Warburton, for the Imperial Bureau of Entomology.]
- Anonymous (IV. 1914), The Fowl Tick and Spirochaetosis. Agric. Gaz., N. S. Wales, Sydney, xxv. 349-350, 2 Figs. Rev. in Rev. of Applied Entomol. s. B, Med. and Veter., II. 116. [Argas persicus, compiled account of fowl spirochaetosis.]
- Aragão, H. de B. (1911), Notas sobre ixódidas brazileiros.—Notes sur les ixodidés du Brésil. (Portuguese and French text and title.) Memorias d. Inst. Oswaldo Cruz, III. 145-195, Pls. 11 and 12. [Gives a survey of Brazilian ticks, describes n. spp.: Ornithodorus rostratus, Amblyomma pacae, Haemaphysalis leporis var. proxima, figures these; also figures spp. described by author in 1908: A. braziliense, A. mantiquirense, A. parvum, A. pseudo concolor, H. kochi; also figures A. incisum Nn. and A. oblongoguttatum Koch.]
- —— (1912), Contribuição para a sistematica e biolojia dos ixódidas.—Beitrag zur Systematik und Biologie der "Ixodidae." *Mem. d. Inst. Oswaldo Cruz*, IV. 96–119, Pls. II (coloured), III, 6 Text-figs. [Parthenogenesis in ticks: *Amblyomma agamum* n. sp.]

#### Bibliography of the Ixodoidea. II ARA-BEN

- Aragão, H. de B. (1913), Nota sobre algumas coleções de carrapatos brazileiros. Mem. d. Inst. Oswaldo Cruz, v. 263-270, Pl. 26. [Amblyomma conspicuum n. sp. Pl. 26, Figs. 1-2 coloured, & dorsum and venter, good.]
- Archibald, R. G., see Balfour, A.
- Austen, E. E. (1907), Blood-sucking Flies, Ticks, etc. 3rd edition. London: British Museum (Natural History). Instructions for Collectors: No. 7. 8vo, 24 pp.
- Balfour, A. (1908), Spirochaetosis of Sudanese fowls. Report Wellcome Res. Labs., Khartoum, III. 38-59, 2 Pls.
- —— (1911), Spirochaetosis of Sudanese fowls. 4th Rept. Wellcome Research Laboratories, Khartoum. Vol. A—Medical, 76-107, Pls. III and IV. [Argas and Ornithodorus mentioned.]
- Balfour, A., and Archibald, R. G. (1908), Ticks. Suppl. to 3rd Report Wellcome Research Laboratories, Khartoum, 199-202. [A review of papers by other authors.]
- Balzer and Poisot (1906), Accidents causés par la piqure de l'Argas. Bull. Soc. Franç. de Dermat. et Syph., Paris, xvII. 344-347. Also: Ann. de Dermat. et Syph., Paris, 1906, 4 s., vII. 604-607. Also: Méd. mod., Paris, 1906, xvII. 205.
- Banks, N. (1912), New American Mites. Proc. Entom. Soc. Washington, xiv. 96-99, 2 Pls. [Otobius n. gen. pro Ornithodorus megnini.]
- Barnard, W. C. (1905), Arizona ticks. St. Louis Med. Rev., LI. 437.
- Bateman, H. R., see Bruce, D.
- Baume, Wolf, La (1910), Zur Naturgeschichte des Holzbocks, *Ixodes ricinus* L. *Prometheus*, xxi. 91-92.
- Baxter, J. M. (1899), Ta epizoa. Proc. Nat. Hist. Assoc. Miramichi, 1. 20-23. [Ixo-didae and other parasites.]
- Bedford, G. A. H. (1913), A Tick new to South Africa. Second Report of the Director of Veterinary Research (Department of Agriculture), Cape Town, 343-344, Pl. 37,
  2 Figs. [Ornithodorus megnini Dugès: Occurrence in ears of cows at Vryburg, Bechuanaland and Fauresmith, Orange Free State.]
- Behr, H. H. (1899), A Californian Tick. Canadian Entomol., xxxi. 229-231. [Effects of bite of Ornithodorus americanus; identification of species and remarks by Banks, p. 231.]
- Beloglazov, G. I. (1914). [Epidemic of Piroplasmosis in Horses in the Government of Tobolsk.] Arch. Vet. Nauk., St. Petersburg, pt. 1, 45-56. Rev. in Review Applied Entomol., II., ser. B: Med. and Veter. (VI. 1914), 98. [Equine piroplasmosis in Gov't of Tobolsk occurs usually in spring, runs a severe course. Few ticks found on the horses.]
- Belt, T. (1874), The Naturalist in Nicaragua. London: John Murray. 403 pp., with Map and Illustrations. [Pp. 209-210, "Ixodes bovis," attacking man in the plains of Nicaragua in April especially, also attack snakes, iguanas, birds (particularly curassows) and large mammals. The herdsmen remove them from their persons by means of a ball of wax which they carry for the purpose. The author evidently confused several species of ticks under the name "I. bovis."]
- Benoit-Bazille, H. (1910), L'Argas reflexus (Fabr.) et son parasitisme chez l'homme. Mem. Soc. Zool. France, XXII. 261-280, 3 Pls.

1--2

- Bequeart, J., see Rodhain, J.
- Bertolini, G. (1908), Di alcuni parassiti del bestiame dell' Agro Romano e della Sardegna. N. Ercolania, Pisa, XIII. 277, 373, 386, 401.
- Bielitzer, A. V. (1914), [Piroplasmosis of Horses in Russia], Arch. Vet. Nauk. St. Petersburg, Pt. 1, 73-78. Rev. in Review Applied Entomol., II., ser. B: Med. and Veter. (vi. 1914), 98-99. [Dermacentor reticulatus and Hyalomma aegyptium regarded as carriers; their geographical distribution and that of equine piroplasmosis considered; trypanblue the best remedy.]
- Bielitzer, A. W., and Marzinovski, E. J. (1908). [Piroplasmosis of horses in Russia, and the rôle of the tick in its distribution.] *Vet. Obozr.*, Moscow, x. 41-56.
- Bienarovič, S. K. (1907), [Ticks of North-western Russia as intermediaries of infection of cattle with enzootic haemoglobinuria.] *Arch. vet. nauk.*, St Petersburg, xxxvii., Pt. 2, 1-43.
- (1911), [The intervention of a tick in the causation of enzootic haemoglobinuria in North-western Russia; anatomy, biology, and pathogenicity of the insect, *Ixodes reduvius*.] *Przegl. vet.*, Lvov, xxvi. 133, 173.
- Billings, F. S. (1893), Original investigations in cattle diseases in Nebraska. Southern cattle plague. 3rd edit., revised and augmented with many new investigations, and the true place of the tick as a vehicle of infection unquestionably demonstrated. Lincoln, 116 pp., 8°.
- Birdseye, C. (9. III. 1912), Some common mammals of Western Montana in relation to Agriculture and Spotted Fever. U.S. Dept. Agric., Farmers' Bull., No. 484. Washington, 46 pp., 34 Text-figs.
- see Henshaw, H. W.
- Bishop, C. F. (XII. 1911), Notes on a trypanosome found in a sheep tick, and its probable connection with the disease known as louping-ill. Veterin. Journ. LXVII. 709-715, 1 Fig. [Found a "trypanosome" in blood squeezed from a tick taken from diseased sheep at Bellingham, Northumberland. In Sleeping Sickness Bull. No. 36, p. 157, it is stated that the tick is Ixodes ricinus; it is not stated who determined it.]
- Bishopp, F. C. (23. VI. 1911). Some new North American Ixodidae, with notes on other species. Proc. Biol. Soc. Washington, XXIV. 197-208, Pl. II. [Ixodes cooki var. rugosus n. var., ♂ and ♀ descr. Figs. 1-2; I. banksi n. sp., ♀ descr. Figs. 3-6; I. kingi n. sp., ♂ ♀ descr., Figs. 7-12; notes on I. angustus Neumann; I. angustus var. woodi n. var., ♀, Figs. 10-13; notes on I. sculptus Neumann and Haemaphysalis chordeilis Packard, ♂ descr.]
- (XII. 1911) [Review of Nuttall and Warburton, Ticks, pt. 2.] Journ. Econ. Entomol., iv. 564-565. Concord, New Haven, U. S. A.
- —— (19. III. 1912), A new species of Dermacentor and notes on other North American Ixodidae. Proc. Biol. Soc. Washington, xxv. 29-38, Pl. I. [Ixodes diversifossus Neumann, description of 3 and 2, Figs. 7-12; I. texanus Banks; Dermacentor hunteri n. sp., 32, Figs. 1-6; Amblyomma maculatum . Koch.]
- —— (31. III. 1913), The fowl Tick. U. S. Dept. of Agricult., Bureau of Entomol. Circular No. 170, 14 pp., 5 Figs. Washington, D.C. [Argas persicus, wrongly called miniatus. Geographical distribution (map) in the U. S., original figs., brief outline of known biology, eradication, etc.]

- Bishopp, F. C., see Hooker, W. A.
- see Hunter, W. D.
- Bishopp, F. C., and King, W. V. (IV. 1913), Additional notes on the biology of the Rocky Mountain Spotted-fever Tick. *Journ. Econ. Entomol.*, vi. 200-211. [Dermacentor venustus Banks.]
- Bishopp, F. C., and Wood, H. P. (1913), The Biology of some North American ticks of the genus *Dermacentor*. Parasitology, vi. 153-187, 3 pls.
- Blacklock, B. (30. XII. 1912), The resistance of *Ornithodorus moubata* to various sheep dips. *Ann. Trop. Med. and Parasitol.*, vi. 429-433.
- —— (1913), Tick, resistance of to sheep dips. Brit. Med. Journ. 1. 129.
- Blanc, G. (1910), Sur la terminaison du tube digestif des *Ixodidae. Bull. Soc. Zool. France*, xxxv. 219-225, 7 Figs.
- —— (1911), Les spirochètes; contribution à l'étude de leur évolution chez les Ixodidae. Paris: Jouve & Cie, 129 pp. 8°.
- Blanchard, R. (3. I. 1906), Spirilles, Spirochètes et autres Microorganismes à corps spiralé. Semaine Médicale, xxvI. 1-5. Also Arch. d. Parasitol., 1906, x. 129-149. Summary in Revue Vétérinaire, 1906, p. 86.
- (1906), Spirilla, Spirochaetes, and other spirally-formed Micro-organisms. (Translated from Summary in Revue Vétérinaire, 1906, 86.) Journ. Comp. Pathol. and Therap., xix. 68-73. Also Journ. Trop. Veter. Sci. i. 320-329.
- —— (1907), Une spirochétose humaine en Colombie. Bull. Acad. de méd., Paris, 3 s., LVII. 511-515.
- Böing, see Schuberg, A.
- Bordan, T. (1898), Az óvantay (Argas reflexus Latr.). Rovart. Lapok, v. 133-135.
- Borthwick (VII. 1905), Tick Paralysis affecting sheep and lambs. Veterinary Journ., London, n.s. XII. 33-34. [Abstract of Report to Chief Vet. Surgeon Cape Gov't. Describes tick paralysis cases associated with presence of Ixodes pilosus. Rapid recovery after removal of tick; dipping preventive.]
- Bos, J. R. (1900), Agricultural Zoology (Translated by J. R. A. Davis), xx+312 pp., 155 Figs., 2nd ed. London: Methuen & Co. [Ticks briefly mentioned on pp. 202-204. Fig. 127 of Ixodes ricinus, sketchy. Several inaccuracies in the description.]
- Bosi (1829), Histoire des vers et des crustacées, 2 ed. [Cited, according to Metz, 1911, p. 1, by Latreille, p. 178, as stating that A. reflexus occurs in Tuscany. Latreille found it in his own house.]
- Bouilov, V. (9. IV. 1914), A few words on Piroplasmosis. (Translated from the Russian.) Ветеринарная Жизнь (Veterinary Life), Moscow, No. 13, 197–198. Rev. in Review Applied Entomol., ser. B: Med. and Veter. (vi. 1914), II. 97. [Ticks found on bushes; 273 piroplasmosis cases in horses in Government of Tambov.]
- Brand, T. (VII. 1909), Report on the Veterinary Survey of Northern Nigeria. London: Darling & Son, 12 pp. [Ticks: p. 12, detd. by A. S. Hirst, British Museum.]
- Brown, A. A. (1910a), Tick fever in Fowls. Journ. Agric. Victoria, VIII. 96-97, 5 Figs.
- —— (1910b) Tick fever or Spirillosis and Monadinitis of fowls. Australasian Med. Gaz., Melbourne, xv. 689-697.
- Bruce, D., Hamerton, A. E., Bateman, H. R., and Mackie, F. P. (1910), "Amakebe," a disease of Calves in Uganda, in Reports of the Sleeping Sickness

#### Bibliography of the Ixodoidea. II BRU-CAN

- Commission of the Royal Soc. (London: Darling & Son, Ltd., Printers), No. x. 86-103, Pl. X. [Pp. 94-96, experiments with Rhipicephalus appendiculatus and "Amakebe" (= East Coast Fever.)]
- Bruce, D., Hamerton, A. E., Bateman, H. R., Mackie, F. P., and Lady Bruce (1911), Distribution of Ticks in Uganda, in Reports of the Sleeping Sickness Commission of the Royal Soc. (London: Darling & Son, Ltd., Printers), No. XI. 228-243, 1 Map. [Deals with Amblyomma variegatum, A. eburneum, A. tholloni, A. petersi, A. sparsum, A. splendidum; Rhipicephalus appendiculatus, R. simus, R. capensis, R. evertsi; Boophilus decoloratus; Haemaphysalis leachi; Ornithodorus moubata (map), and O. savignyi; Aponomma evornatum; see also p. 186, examination of O. moubata (5) for parasites and (6) for Tryp. gambiense after feeding on infected blood; results negative.]

Bruce, Lady, see Bruce, D.

- Brucker, E. A. (1898), Sur les pièces buccales des Acariens. Comp. rend. Acad. Sci., CXXVI.
- (1901), Pièces buccales des Ixodides. Bull. Soc. Entomol. France, LXX.
- Brumpt, E. (1909), Existence d'une spirochétose des poules à Spirochaeta gallinarum dans le pays Somali. C. R. Soc. Biol., Paris, LXVI. 174-176. [Argas persicus of small size received from Dirredaoua, where many fowls died. Ticks placed on fowls; these developed spirochaetosis.]
- (9. VI. 1909), Sur une nouvelle spirochétose des poules du Sénégal produite par Spirochaeta neveuxi n. sp. Bull. Soc. Path. Exot., II. 285-288.
- (1912), Le Trypanosoma cruzi évolué chez Conorhinus megistus, Cimex lectularius, Cimex boueti et Ornithodorus moubata. Cycle évolutif de ce parasite. Bull. Soc. de Pathol. Exot., v. 360-367.
- Burnet, J. (27. III. 1909), The Rôle of Blood-sucking Arthropods in the Causation of Tropical Diseases. (Sleeping Sickness.) *Medical Times*, 231–232.
- Buy, P. (1907), Histoire naturelle et médicale des Ixodes. Soc. Linn., LIII. 93-155, 22 Figs. [Anatomy, classification, propagation of disease by ticks.]
- Buysson, R. du (15. IV. 1912), Un hyménoptère parasite des *Ixodes. Arch. de Parasitol.* xv. 246-247, 1 fig. [Occurrence in *Ixodes ricinus* of a small chalcidid belonging to the Encyrtinae, and genus *Ixodiphagus* Howard. The author describes both the sexes of *Ixodiphagus caucurtei* n. sp. found by E. Brumpt in *I. ricinus* nymphs captured on deer at Chantilly, Oise, and at Fontainebleau (Oct.-Nov.).]

#### Cambridge, O. Pickard-, see Pickard-Cambridge, O.

- Campbell, W. S. (1901), Fowl Ticks. Agric. Gaz. N.S. Wales, XII. 1285.
- Canestrini, G. (1887), Intorno ad alcuni Acari ed Opilionidi dell' America. Atti Soc. Veneto Trentina di sci. nat., XI. fasc. 1, 104, Pl. IX. [Figs. 3, 5 of Haemaphysalis micropla Canestrini = B. annulatus var. microplus (Canestrini) Neumann, 1901, p. 280. Cited from Neumann, 1897, p. 408.]
- (29. x. 1897), Contribuzione alla conoscenza degli Acaroidei della Birmania. Ann. Museo Civico di Storia Naturale di Genova, Serie 2a, XVII. (XXXVIII. 417-422. [p. 417, Footnote: Opisthodon Canestrini found to be preoccupied by the author; he therefore substitutes the generic name Prosopodon, which, however, is but a synonym for Haemaphysalis Koch.]

#### Bibliography of the Ixodoidea. II CAR-COW

- Carazzi, D. (1913), Parassitologia animale; animali parassite ed animali trasmettitore di malattie parassitorie all'uomo e agli animali domestici. Con indicazioni techniche per la raccolta, preparazione e studio microscopico dei parassiti. Milano, Soc. ed. libraria, 436 pp., 5 Pls., 8°.
- Cardamatis, J. (1911), Des Piroplasmoses et Leishmaniases. Centralbl. f. Bakt., 1 Abt., Orig., Lx. 511. Rev. in Centralbl. f. Bakt., 1912, Lii. (Referate), 124.
- Carpano, M. (1912), La febbre della costa nella Colonia Eritrea. Note biologische e morfologische sulla "Theileria parva." Clinica Veterinaria, N. 19, 20, 21, and 22, reprint, 46 pp., Pls. I-III. [Rhipicephalus appendiculatus stated to convey East Coast Fever (due to Theileria parva) in Erithrea.]
- Carpenter, G. H. (1908), Parasites of Domestic Animals. Proc. Roy. Dublin Soc. 1. 559. (Ixodes ricinus. Piroplasma bovis. Short note.)
- Cary, C. A. (1901), Texas or acclimation Fever. Alabama Agric. Exp. Sta. Bull. 116, pp. 231-289.
- Chilton, C. (1904). A new species of *Ixodes* parasitic on the grey duck. Trans. New Zealand Institute, XXXVI. 201-202, Pl. X. [Ixodes anatis n. sp. 3 found on Anas supercitiosa.]
- Christophers, S. R. (II. 1912), The development of Leucocytozoon canis in the tick, with a reference to the development of Piroplasma. Parasitology, v., 37-48.
  2 Diagrams. [Development of Haemogregarina canis and of Piroplasma canis in Rhipicephalus sanguineus.]
- Christy, C. (1905), Tick Fever. Brit. Med. Journ., 1. 1726.
- Clark, F. N. (1910), Stray notes on Ticks. Proc. S. London Entom. Nat. Hist. Soc., 1909-10, pp. 29-33, 2 Pls.
- Cooley, R. A. (V. 1911), Tick control in relation to Rocky Mountain Spotted Fever. A report of co-operative investigations conducted by the Bureau of Entomology and the Montana Experiment Station. *Montana Agric. College Exper. Stat.*, Bull. No. 85. Bozeman, Montana, 29 pp., 1 Fig. on title-page [of Dermacentor 3].
- —— (II. 1913), Notes on little-known habits of the Rocky Mountain spotted fever tick (*Dermacentor venustus* Banks). *Journ. Econ. Entomol.*, vi. 93-95 (Discussed on 95-96).
- Cooper, W. F. (1905), Ticks, 16 pp., containing 19 Figures. Berkhamsted: Wm. Cooper and Nephews. [Short texts describing photomicrographs of Haemaphysalis punctata: larva, nymph,  $\delta$ , details in the structure of the mouth parts, microscopic sections. Many of these served to illustrate the paper read by Nuttall, Cooper, and Smedley (1905), which was published without figures.]
- see Nuttall, G. H. F.
- Cooper, W. F., and Laws, H. E. (5. v. 1913), The Tick-killing properties of Sodium Arsenate. Agric. Journ. Union of S. Africa, v. 716-721. Rev. in Rev. Applied Entomol., 1. ser. B, 133.
- Cotton, E. C., and Voorhees, J. F. (1911). The cattle tick as affected by climate. Tennessee Agric. Exp. Sta. Bull. 94, 119-164, 42 Figs.
- Couvy, L., see Marchoux, E.
- Coward, T. A. (1907), Species of British Ticks recorded by Chas. Oldham, Esq., Kelvin, Berkhamsted. Proc. Zool. Soc., London, 1907, p. 323. (Haemaphysalis punctata on a plover and Ixodes vespertilionis on bat.)

#### Bibliography of the Ixodoidea. II CSO-DOD

- Csokor (1894), Die muschelförmige Saumzecke (Argas reflexus). Wiener Landwirtsch. Zeitung, No. 3. Wien. (Cited by Metz, 1911.)
- Cunliffe, N. (1913), The variability of Rhipicephalus pulchellus (Gerstäcker, 1873), together with its geographical distribution. Parasitology, vi. 204-216, 6 Figs.
- —— (1914a), Rhipicephalus sanguineus: Variation in size and structure due to nutrition. Parasitology, vi. 372-378, 4 Text-figs.
- —— (1904b) Observations on Argas brumpti Neumann, 1907. Parasitology, vi. 379–381, 1 Text-fig.
- see Hindle, E.
- Curtice, C. (1896), The Cattle Tick (Boophilus bovis, Riley). Agric. Gaz., N. S. Wales, VII. 454-466, 3 Pls. (Reprinted from Bull. Texas Agric. Exper. Station, 1892. Life History.)
- —— (1900), How to kill Ticks. Rept. Comms. Agric. N. Carolina for 1900, pp. 191-193.
- (1901), Cattle Tick the carrier of Splenic fever. Rept. Comms. Agric. N. Carolina for 1900, pp. 68-71, 1 Pl.
- (1912a), Progress and prospects of Tick eradication. U. S. Dep't. Agric. Bur. Animal Industry, Washington, XXVII. 255-265.
- —— (1912b), Anthrax and Tick Fever. Amer. Veter. Review, XL. 601, 757. (Review in Centralbl. f. Bakt., 1912 (Referate), LIII. 481-482. [Boophilus annulatus, possible carriers of anthrax.]
- Darling, S. T. (1910), Panama Ticks. Journ. Econ. Entomol., III. 222 [short note]. Davidson, J., see Robinson, L. E.
- Davis, B. F., and Petersen, W. F. (IV. 1911), Complement deviation in Rocky Mountain Spotted Fever. *Journ. Infect. Diseases*, VIII. 330-338.
- Dawson, C. F. (X. 1902), Texas Cattle Fever and Salt-sick. Florida Agric. Experiment Station, Dept. Veter. Sci., Bull. No. 64, 524-550, 1 Pl. (2 Figs.). De Land, Florida. [Describes Texas fever, biology of B. annulatus, preventive measures, etc.]
- Dieffenbach ( ), Corpora aliena in corpore humano. Rust's Magazine. [Cited by Hagen, x., 1887, p. 124, as reporting strange cases of ticks. etc., in the human ear.]
- Doane, R. W. (1912), An annotated list of the literature on Insects and Disease for the year 1911. Journ. Econ. Entomol., v. 268-285. [Ticks and disease, 31 references.]
- —— (1913), An annotated list of the literature on Insects and Disease for the year 1912. *Journ. Econ. Entomol.*, vi. 366–385. Rev. in *Rev. Applied Entomol.*, i., ser. B, 222.
- —— (II. 1914), Disease-bearing Insects in Samoa. Bull. Entomol. Research, London, Iv. 265-269, 3 Pls. Rev. in Review Applied Entomol., ser. B: Med. and Veter., vol. II. (v. 1914), pp. 82-83. [Dogs infested with R. sanguineus.]
- Dodd, S. (III. 1910), Spirochaetosis of Fowls in Queensland. Journ. Compar. Pathol. and Therap., XXIII. 1-16. [Transmission of disease by inoculation and by Argas persicus, description of symptoms, etc. A. persicus, when starved, remained infective seven months.]

#### Bibliography of the Ixodoidea. II DOD-DUT

- Dodd, S, (1910), Spirochaetosis in fowls in Queensland. Journ. Comp. Pathol. and Therap., 1-17. (Cited by Hauer, 1912, p. 495.)
- —— (VI. 1910), Piroplasmosis of Cattle in Queensland. Journ. Compar. Pathol. and Therap., XXIII. 141-159. [Boophilus australis transmits Piroplasma bigeminum and a Piroplasma of the mutans type in Queensland.]
- Dönitz, W. (1906a), Zecken als Krankheitsüberträger. Ber. Senckenberg. Nat. Ges. Frankfurt a. M., 1905, 39-52.
- —— (1906b), Die Zecken unserer Haustiere als Krankheitsüberträger. Verdhandl. d. deutsch. Kolonialkongr. (1905), Berlin, 275–284.
- Dördelmann (1906), Die Taubenzecke. Zeitschr. f. Brieftaubenkunde, Hannover, p. 350. (Cited by Metz, 1911).
- Downing, J. E., see Thompson, W.
- Drake-Brockman, R. E. (6 and 16. IV. 1913), Ticks and Relapsing Fever in Somaliland. Reports to the Colonial Office (London). Rev. in Rev. Applied Entomol., 1., ser. B, 116.
- (XI. 1913), On the Occurrence of an Epidemic of Relapsing Fever in Bulhar, British Somaliland. Journ. Lond. Sch. Trop. Med., 11. 195-199, 2 Charts. Also rev. in Rev. of Applied Entomol., 11., ser. B, 8-9. [Lists Hyalomma aegyptium, Rhipicephalus pulchellus, R. simus, R. sanguineus, Boophilus sp., Ornithodorus savignyi, Argas persicus as occurring at Bulhar. O. savignyi in soft soil or sand of floors of native huts and thereabouts. Said to be common in coast towns; called "Kūdkūdeh" or "Kūdkūda" (all other ticks called "Shillin"). Bites irritate; scratching produces infection and ulceration. A. persicus common in huts of those keeping fowls. Dozens of larvae on every fowl examined. Somalis say it never attacks them, and they have no name for it. Thinks Spirochaeta duttoni has been imported.]
- Dschunkovsky, E. (1912), Persian Relapsing fever (Miana). Med. Obozr., Moskow, LXXVII. 995-1005, 3 Pls., 1 Table.
- (1913), Das Rückfallfieber in Persien. Deutsche med. Wochenschr., xxxix. 419.
  (27. II. 1913), Das Rückfallfieber in Persien. Deutsche med. Wochenschr., 419-420, 2 Figs.
- Dschunkovsky, E., and Luhs, J. (IX. 1909), I. Entwickelungsformen von Piroplasmen in Zecken. II. Leishmania beim Hunde in Transkaukasien. II. Zur Frage über die Erforschung der Protozoenkrankheiten des Geflügels in Transkaukasien. IX. Internat. tierärztl. Kongress im Haag, Sept. 1909. 15 pp. 1 Pl., reprint. [Piroplasma bigeminum stated to undergo development in Rhipicephalus sanguineus and Hyalomma aegyptium; P. annulatum said to develop in R. sanguineus and P. ovis develops in R. bursa.]
- —— (IX. 1909a), Protozoenkrankheiten des Blutes der Haustiere in Transkaukasien. 
  IXth Internat. tierärztl. Kongress im Haag, IX. 1909, 19 pp., 2 Pls., reprint. 
  [Lists the ticks found in Transcaucasia and determined by A. Birula and A. S. Hirst. All of the authors' ticks have since been examined by Nuttall and Warburton.]
- Dugès, A. (1903), [Las Garrapatas de México]. Mem. Soc. cient. Ant. Alzate Mexico, xvIII. 187-194, 35 Figs.
- Dutton, J. E., Todd, J. L., and Hanington, J. W. B. (1907), Trypanosome transmission experiments. Ann. Trop. Med. and Parasitol., I. 201-229. [Ticks, pp. 215-216, infection experiments with O. moubata and T. gambiense—negative.]
- Dutton, J. E., see Newstead, R.

#### Bibliography of the Ixodoidea. II EAT-GAG

- Eaton, E. M. (1913), A case of tick-bite followed by widespread transitory muscular paralysis. *Australasian Med. Gaz.*, Sydney, xxxIII. 391-394.
- Eaton, Cleland and others (16. VI. 1913), Tick-bite. Journ. Trop. Med. and Hyg., 188-189. Also in Rev. Applied Entomol., I., ser. B, 189.
- Eckard, B., see Kleine, F. K.
- Edwards, C. W. (I. 1914), Cattle-tick eradication. Philippine Agric. Review, Manila, vii. 44-45. Rev. in Review of Applied Entomology, ser. B (iv. 1914), pp. 59-60. [Deals in a general way with tick-pest and eradication by dipping.]
- Ellenberger, W. P. (1909), The eradication of cattle ticks in the South. Amer. Vet. Rev., New York, xxxv. 651-662.
- sée Graybill, H. W.
- Eysell, A. (IV. 1912), Beiträge zur Biologie der Zecken. Archiv f. Schiffs- und Tropen-Hyg., xvi., 205-212, 7 Figs. [Deals with (1) copulation, nothing new; (2) mechanism of bite in ticks. 5 figs. original but of no special interest.]
- Fantham, H. B. (1911), Some researches on the life-cycle of Spirochaetes. Ann. Trop. Med. and Parasitol., v. 479. Rev. in Centralbl. f. Bakt., 1912, Referate, LII. 68-69.
- Field, F. E., see Minett, E. P.
- Flu, P. C. (1911), Die Aetiologie der in Surinam vorkommenden sogenannten "Boschyaws," einer der Aleppobeule analogen Erkrankung. *Centralbl. f. Bakt.*, 1 Abt., Orig. Lx. 624, 637, 1 Pl., 3 Text-figs. [Ticks: p. 634.]
- Francis, M. (1896), Preventive Measures for Farm or Range Use. Agric. Gaz., N. S. Wales, VII. 466-468.
- Franco, F. R. (1906-7), Apuntes sobre el Argus reflexus de Bogotá. Rev. méd. de Bogotá, 103-105.
- Fricks, L. D. (1913), Rocky Mountain Spotted (or Tick) Fever; sheep grazing as a possible means of controlling the wood tick (*Dermacentor andersoni*) in the Bitter Root Valley. *Public Health Reports*, Washington, XXVIII. 1647–1653.
- —— (1914), Rocky Mountain Spotted Fever; a report of its investigation and of work in tick eradication for its control during 1913. *Pub. Health Reports*, Washington, D.C., xxix. 449-461.
- Fricks, L. D. (1914 a), Rocky Mountain Spotted Fever: some investigations made during 1912 by Passed Asst. Surgeon T. B. McClintic. Public Health Reports, Washington, XXIX, 1008-1020.
- Friedberger, F., and Fröhner, E. (1908), Lehrbuch der speziellen Pathologie und Therapie der Haustiere. Stuttgart: F. Enke. 2 vols., 8vo.
- Froggatt, W. W. (1900), Notes on a collection of ticks, determined by Professor Neumann. Agric. Gaz., N.S. Wales, xi. 540-542. [2 n. spp. without description.]
- —— (III. 1912), The Fowl Tick. Agricultural Gazette, N. S. Wales, Misc. Publ. No. 1,509, pp. 254–261, 4 Figs. (Argas persicus.)
- Fröhner, E., see Friedberger, F.
- Fumouze (1873-74-77), Sur le *Argas persicus*. *Bull. Soc. Ent. France*, sér. 5, III., IV. and V. [Cited by Bonnet, A. (1907), p. 164.]
- Gager, S. H. (1910), A preliminary check list of the parasites of Indian domesticated animals. *Journ. Trop. Veter. Sci.*, Calcutta, v. 65-71. [P. 69, Ticks listed, determinations doubtful.]

N. II. 9

#### Bibliography of the Ixodoidea. II GAL\_GIL

- Galli-Valerio, B. (1908), Le rôle des arthropodes dans la dissémination des maladies. Centralbl. f. Bakteriol., XLI. 353-360.
- —— (1909), Notes de parasitologie et de technique parasitologique. Centralbl. f. Bakt., 1 Abt., Orig., Li. 538-545, 3 Figs. [P. 539, known species of Amblyomma, Aponomma, Haemaphysalis, Hyalomma, Ixodes, Boophilus ("Margaropus"), Rhipicephalus listed from various countries; Neumann's determinations; pp. 543-544, notes on biology of I. ricinus.]
- —— (26. IX. 1910), Notes de parasitologie et de technique parasitologique. Centralbl. f. Bakt., 1 Abt., Orig., LVI. 43-47. [Pp. 45, 46, biology of Ixodes ricinus.]
- (7. X. 1911), Notes de parasitologie et de technique parasitologique. Centralbl. f. Bakt., 1 Abt., Orig., LvI. 358-363. [Merely records: Ixodes hexagonus from Mustela foina, collected 28. x. 1910 at Chailly, near Lausanne, by Dr. Cerny; Rhipicephalus sanguineus from Erinaceus algirus and Lepus timidus, I. 1911, at Île de Djerba, Tunisia, collected by Weiss; Hyalomma aegyptium, ditto, from cattle; Amblyomma sp. from Erinaceus algirus, ditto; O. savignyi from cow, ditto. Ticks determined by L. G. Neumann.]
- (1911), Recherches sur la spirochétiase des poules de Tunisie et sur son agent de transmission: Argas persicus Fischer. 2me mémoire. Centralbl. f. Bakteriol., 1 Abt., Orig., LXI, 529-538.
- —— (1912), Notes de Parasitologie. *Centralbl. f. Bakt.*, 1 Abt., Orig., Lxv. 304–310. [Ticks: p. 310, biology of *Ixodes ricinus*, effect of humidity on hatching of eggs, 12 lines.]
- (1914), Recherches sur la spirochétiase des poules de Tunisie et sur son agent de transmission: Argas persicus Fischer. 3º mémoire. Centralbl. f. Bakt., 1 Abt., Orig., LXXII. 526-528.
- Gamble, M. (15. V. 1914), A list of Blood-sucking Arthropods from the Lower Congo, with a Vocabulary. *Journ. Trop. Med. and Hyg.*, xvii. 148–150. [P. 149 lists *O. moubata* and known spp. of *Ixodidae* det. by Nuttall and Warburton; gives native names.]
- Garden (1912), East Coast Fever in Nyasaland. Ann. Rept. Dept. Agric., Nyasaland, 1912, pp. 31-36. Rev. in Rev. Applied Entomol., I., ser. B, 52-53.
- Gedoelst (1911), Synopsis de Parasitologie. [Ticks mentioned on pp. 145-155. Reference supplied by J. C. Huber.]
- Gené, G. (1844), Sulla generazione degli issodi. Atti Riunione Sci. Ital., Milan, 367-369. Also abstract in Ann. and Mag. Nat. Hist., xvIII., 1846, No. 118, pp. 160-162.)
- Gestro, R. (1904), Leonardo Fea ed i suoi viaggi. Cenni biografici. Annali del Museo Civico di Storia Naturale di Genova, serie 3, I. (XLI.), 95-152, 4 Maps, reprint. [Lists Fea's collections; species named by Supino: Dermacentor feae, D. longipes, D. auratus, D. indicus; Haemaphysalis birmaniae, H. hystricis; Opisthodon canestrinii, O. asiaticus, O. gestroi; Ixodes testudinis, I. birmanensis, I. varanensis, I. bengalensis, I. granulatus, I. globulosus; Rhipicephalus javanensis, R. flavus, R. bhamensis, R. haemaphysaloides.]
- Gilruth, J. A. (VIII. 1910), Note on the existence of spirochaetosis affecting fowls in Victoria. *Proc. Roy. Soc.*, *Victoria*, XXIII. n.s., pt. I. 102-104. [Argas persicus associated with fowl spirochaetosis.]
- (X. 1912), The introduction and spread of the cattle tick (*Boophilus annulatus* var. *microplus*) and of the associated disease, tick fever (Babesiasis), in Australia.

10 2—2

#### Bibliography of the Ixodoidea. II GÖL—GRE

- Proc. Roy. Soc., Victoria, XXV. n.s., pt. 1. 17-22; reprinted in Queensland Agric. Journ., 351-357; to be continued.
- Göldi, E. A. (1913), Die sanitarisch-pathologische Bedeutung der Insekten und verwandten Gliedertiere, namentlich als Krankheits-Erreger und Krankheits-Uebertrüger. Berlin, 155 pp., 8°.
- Gonder, R. (1911), Die Entwicklung von Theileria parva, dem Erreger des Küstenfiebers der Rinder in Afrika. Arch. f. Protistenk., XXII. 170-178, Pls. X-XI. [Only incidental mention of "ticks" as vectors.]
- Goodall, T. B. (1913), About Acarina; their habits, hosts, practical methods of examination for, and life-history. *Veterinary Journ.*, LXIX. 112, 170, 224.
- Gray, C. E., see Theiler, A.
- Graybill, H. W. (14. VI. 1911), Studies on the biology of the Texas-fever tick.
  U. S. Dep't Agricult., Bur. Animal Industry, Washington, Bull. 130, 42 pp.,
  3 Figs.
- --- (30. VII. 1912), Methods of exterminating the Texas-fever tick. U.S. Dep't Agricult., Farmers' Bull. No. 498, Washington, 42 pp., 19 Figs.
- --- (1913), The action of arsenical dips in protecting cattle from infestation with ticks. Washington: Government Printing Office. 27 pp., 8°.
- (15. IV. 1913), The action of arsenical dips in protecting cattle from infestation with ticks. U. S. Dep't of Agricult., Bureau of Animal Industry, Washington, D. C., Bulletin 167, 27 pp.
- see Ransom, B. H.
- Graybill, H. W., and Ellenberger, W. P. (11. XII. 1911). Directions for constructing a vat and dipping cattle to destroy ticks. U. S. Dep't Agric. Bureau Animal Industry, Circular No. 183. Washington, D.C.: Gov't Printing Office. 15 pp., 1 Fig. [plans for concrete dipping vat].
- Graybill, H. W., and Lewallen, W. M. (9. IX. 1912), Studies on the biology of the Texas-fever tick. (Supplementary report.) U. S. Dep't Agricult., Bur. Animal Industry, Washington, Bull. 152, 13 pp.
- Greenway, H. G. (VII. 1907), Fever caused by Tampans. Transvaal Agric. Journ., Pretoria, v. 1029–1030. [Letter to the Editor from Zaagkuilsdrift, Piennars River. The author camped in a "nice clean-looking native hut" on the route to "Klopper Pan"; his party slept on the floor, and were severely bitten by tampans, which were found next day in such numbers in their kits that the latter were put into the river for seven days to get rid of them. After two days unbearable irritation of the skin, followed by big red blotches all over the body; on the fifth day, much swelling and lassitude; on the eighth day, fever, repeated every seventy hours for six weeks (102°–103.5° F.). The natives of the party escaped effects; an English companion suffered similarly, whilst a Boer was only ill and badly swollen and marked for about 16 days.]
- Greffier (1911), Quelques considérations sur des parasites phtiriasiques et acariasiques provoquant chez leur hôte un état de maigreur ou de cachexie motivant la saisie. L'Hygiène d. l. Viande et du Lait, v. 65. Rev. in Centralbl. f. Bakt., 1912, LI. (Referate), 567-568. [Mentions Argas reflexus, occurrence on pigeons.]
- Greig-Smith, R., and Meek, A. (1897), Investigations into the Cause of Louping Ill. Veterinarian, LXX. 249-262, 1 Pl. [Supposed transmission by ticks.]
  Greig-Smith, R., see Meek, A.

#### Bibliography of the Ixodoidea. II GÜE—HAL

- Güell, A. R. (1913), El baño de immersion para el exterminio de la garrapata.

  Boletin d. Fomento, San José, Costa Rica, III. 192–194, 1 Fig. Rev. in Rev. Applied Entomol., I., ser. B, 159.
- Guérin (1868), (Ixode) Corps étranger de l'oreille datant du 1 dec. 1866 (Méxique) sorti le 4 juillet 1867, ayant vécu après sa sortie deux mois environ. Gaz. des hôpit.,
  No. 5, p. 19. [Ornithodorus megnini? Title communicated by J. C. Huber.]
- Gulliver (1872), Argas reflexus s. Rhynchoprion columbue. Ann. and Mag. Nat. Hist., IX., 4th ser., p. 242. [Cited in bibliogr. by Metz, 1911.]
- —— (1872), Eggs and newly-hatched young of *Ixodes dugesii* and *Argas reflexus*.

  Ann. and Mag. of Nat. Hist., London, x., 4th ser., p. 230 et seq. [Cited in bibliogr. Metz, 1911.]
- Hadley, P. H. (29. X. 1909), Notes on the parasitism of Cytodictes nudus and Haemaphysalis chordeilis. (Contribution No. 6 from the Division of Biology of the Rhode Island Agricult. Experiment Station, Kingston, R. I.) Science, New York, xxx. 605-606. (P. 606, H. chordeilis, determined by N. Banks, found to kill young turkeys at Norwich, Vermont, U. S. A.)
- Hadlington, J. (IV. 1914), The Fowl Tick. Agric. Gaz., N. S. Wales, Sydney, xxv. 345-349, 2 Figs. Rev. in Rev. of Applied Entomol. s. B, Med. and Veter.,
  II. 115-116. [Argas persicus in relation to poultry-keeping; preventive measures.]
- Hadwen, S. (1910), Note on the finding of *Haemaphysalis punctata* at Winnipeg, Manitoba. *Canadian Entom.*, XLII. 221-222, 1 Pl.
- —— (1912), The life-history of *Ixodes angustus* (Banks). *Proc. Brit. Columbia Entomol. Soc.*, Vancouver, No. 1 n.s. (Report of Meeting held 9. XII. 1911), 37–38. Reprinted in *Rep. Vet. Dir.-General, Canada, Dept. Agric.*, 1912, 92–99, Pls. II–VI. [*I. angustus* raising notes, *I. texanus* mentioned.]
- (1912-13), The life-history of Dermacentor variabilis. Parasitology, v. 234-237.
   (1913), Preliminary note on "Tick Paralysis." Letter from Veterinary Director-General. American Veter. Review. [Cited by Hadwen in Parasitology (x. 1913),
- vi. 297.]
  —— (1913 a), Address on "Tick Paralysis." Proc. Brit. Columbia Veter. Assoc.
- [Cited by Hadwen in Parasitology (x. 1913), vi. 297.]
- —— (X. 1913), On "Tick Paralysis" in sheep and man following bites of Dermacentor venustus. Parasitology, vi. 283-297, Pls. XXI and XXII.
- Hadwen, S., and Nuttall, G. H. F. (x. 1913), Experimental "Tick Paralysis" in the dog. Parasitology, vi. 298-301. [Used Dermacentor venustus.]
- Hagen, H. A. (X. 1887), A living Ixodes said to have been four months in the ear of Man. Entomologica Americana, Brooklyn, N. Y., III. 124-125. [Tick removed alive from the ear of a man from a cattle ranch in Arizona. The tick measured 12×6 mm., and moulted about a month after removal. It must have been Ornithodorus megnini.]
- Hall, M. C. (1912), Our present knowledge of the distribution and importance of some parasitic diseases of sheep and cattle in the United States. 27th Ann. Rep. Bureau of Animal Industry (1910), 419-463, 2 Pls., 18 Text-figs. Reprinted as U.S. Dept. of Agricult., Bur. An. Industry, Circular 193. Washington, D.C., 1912 [Original pagination retained. Plate XXXV, Fig. 1 (Boophilus annulatus \( \rangle \), replete; photograph), 424-428. Very brief account of piro-

# Bibliography of the Ixodoidea. II HAM-HIR

plasmosis in cattle; Fig. 45, P. bovis (not original); Fig. 46, map giving distribution of B. annulatus in U.S.A.]

Hamerton, A. E., see Bruce, D.

Hanington, J. W. B., see Dutton, J F.

Hart, G. H., see Mackellar, W. M.

- Hauer, A. (1912), Untersuchungen über die Wirkung des Mittels 606 auf die Hühnerspirillose. *Centralbl. f. Bakt.*, I. Abt., Orig. LXII. 477-496. [Valuable summary of literature on fowl spirochaetosis with good bibliography.]
- Hays, W, J. (1869), The moose tick. American Naturalist, 11. 559, Fig. [Title communicated by J. C. Huber.]
- Hazen, E. H. (1871), Cattle tick in the human ear. American Naturalist, v. [Title communicated by J. C. Huber.]
- Henry, M. (x. 1913), The Tick problem in New South Wales. Agric. Gaz., N. S. W., Sydney, xxix. 829-837. Rev. in Rev. Applied Entomol., i., ser. B, 232-233.
- Henshaw, H. W., and Birdseye, C. (1911), The mammals of the Bitter Root Valley, Montana, in their relation to Spotted Fever. U. S. Dep't Agric., Bur. Biol. Surv., Circular 82, pp. 24, 12 Figs.
- Herring, L. T. (III. 1911), Texas Tick Fever and Brahma Cattle. American Veter. Rev., N. Y., 1910-11, xxxvIII. 756-761. Abstract in Journ. Trop. Veter. Sci., Calcutta, vII. 135-136. [States pure breed and Brahma crossed with native cattle are less liable to tick infestation than native cattle, although they are susceptible to piroplasmosis in Texas.]
- Hibbard, R. P., and Neal, D. C. (XI. 1911), Some observations on the blood of dairy cows in tick-infested regions. *Journ. Infect. Diseases*, IX. 324-342. [No mention of the species of tick infesting the cattle.]
- Hindle, E. (VI. 1911), The transmission of Spirochaeta duttoni. Parasitology, v. 133-149. [Experiments carried out in Prof. Nuttall's laboratory to determine the manner in which O. moubata transmits spirochaetosis.]
- (X. 1911), The relapsing fever of Tropical Africa. Parasitology, IV. 183-203.
   2 Maps and 1 Chart. [A short summary. Brief mention of O. moubata and its relation to the disease. Map 1 shows geogr. distribution of the disease, Map 2 (after Merriman) that of the tick.]
- —— (XII. 1911), On the life-cycle of Spirochaeta gallinarum. (Preliminary note.) Parasitology, 1v. 463-477, 4 Figs. and 1 diagram. [Development of fowl spirochaete in Argas persicus.]
- —— (read 29. I. 1912), The inheritance of spirochaetal infection in Argas persicus. Proc. Cambr. Philos. Soc., xvi. 457-459.
- —— (III. 1912), Attempts to transmit Fowl Pest by Argas persicus. Bull. Soc. Méd. Exotique, Paris, v. 165–167. [Fowl-pest virus still potent after nine days, but not after fourteen days, in the gut of A. persicus at 22–28°C. The virus does not traverse the gut wall of the tick. The tick not a host for the parasite, and incapable of conveying the disease.]
- ---- see Nuttall, G. H. F.
- Hindle, E., and Cunliffe, N. (13. I. 1914), Regeneration in Argas persicus. Parasitology, vi. 353-371, 4 Figs.
- Hindle, E., and Merriman, G. (1912), The sensory perceptions of Argas persicus (Oken). Parasitology, v. 203-216.
- Hirst, S. (VI. 1914), Report on the Arachnida and Myriapoda collected by the

## Bibliography of the Ixodoidea. II HOO—JEN

- British Ornithologists' Union Expedition and the Wollaston Expedition in Dutch New Guinea. *Trans. Zool. Soc. London*, xx. 325–333, Text-figs. XIV-XIX, reprint. [Pp. 327–330: Description of n. spp.: *Amblyomma papuana*, *Haemaphysalis novae-guineae*.]
- Hooker, W. A., Bishopp, F. C., and Wood, H. P. (1912), The life-history and bionomics of some North American Ticks. U. S. Dep't Agricult., Bur. Animal Industry, Washington, Bull. 106, 239 pp., 15 Pls., 17 Figs.
- Howard, C. W. (18. VII. 1911), An experiment in fumigation of ticks. Parasitology, v. 165-168. [Clayton apparatus for sulphur fumigation tried experimentally for the destruction of ticks: Boophilus, Amblyomma, Rhipicephalus, Ornithodorus, in all stages, on cattle transport ships. A replete A. hebraeum survived and oviposited after twelve hours' exposure to 15 per cent. of gas. All other ticks destroyed.]
- Howarth, S. (1897), Parasite of Tortoise. Science Gossip, n.s., III. 236, 1 Fig. Remarks: By T. Sheppard, p. 282; by J. Burton, p. 283.
- Hudson, W. H. (1903), The Naturalist in La Plata, 394 pp., illustrated by J. Smit. London: J. M. Dent & Co., 4th ed. [Mentions "Ixodes" on pp. 141-144, with a figure. Contains nothing worth noting.]
- Hunter, W. D., and Bishopp, F. C. (17. XI. 1911), The Rocky Mountain spotted fever tick, with special reference to the problem of its control in the Bitter Root Valley of Montana. U. S. Dep't Agric., Bur. of Entomol., Bull. 105, Washington, D.C., 47 pp., 3 Text-figs., Pls. I-III. [Illustrates geographical distribution, β, γ, ο and L of Dermacentor venustus, β and γ of D. albipictus, bibliography.]
- —— (1911), Some of the more important ticks of the United States. Year Book U. S. Dept. Agric. for 1910, 219–230, Pls. XV–XVI issued as "Y. B. separate—531." [Argas persicus, Ornithodorus megnini, Amblyomma americanum, A. maculatum, Dermacentor venustus, D. occidentalis, D. variabilis, Haemaphysalis leporis-palustris, Boophilus annulatus, Rhipicephalus sanguineus, a few of these figured (photographs).]
- Hunter, W. D., and Mitchell, J. D. (1909), A practical demonstration of a method for controlling the eattle tick. U. S. Dep't Agric., Bur. Animal Industry, Washington, Circular 148, 4 pp.
- Hutcheon, D. (1901), Heartwater in Sheep and Goats. Agric. Journ. Cape of Good Hope, XIX. 302-314, 2 Figs. [Amblyomma hebraeum, "carrier" of disease.]
- —— (1903), Heartwater in Sheep and Goats. The experiments of Dr. Purvis. Agric. Journ. Cape of Good Hope, XXII. 438-443.
- Hutyra, F. and Marek, J. (1909). Spez. Pathol. u. Ther. d. Haustiere. Jena: G. Fischer. 2 vols.
- Iches, Lucien (1908), Les Garrapates. Bull. Soc. nation. Acclimat. France, Lv. 385-393, 1 Fig.
- Jarvis, T. D. (1910), The Acarina, with a Host Index to the Species found in Ontario. 40th Ann. Rep. Entomol. Soc., Ontario, 1909, 82-109, 5 Pls., 18 Figs.
- Jennings, A. H. (1912), Some notes on the tick Ornithodorus talaje Guérin. Proc. Entom. Soc. Washington, XIV. 77-78.

## Bibliography of the Ixodoidea. II JUN-KNU

- Jungels (1911), Vorläufige Mitteilung über Spirochätenerkrankungen der Hühner in Deutsch-Ostafrika. (Note.) Arch. f. Schiffs- u. Tropen-Hyg., xv. 541.
- Keferstein, A. (1837), Naturgeschichte der schüdlichen Insekten. Erfurt. [Ticks: pp. 113, 122, 157; reference communicated by J. C. Huber.]
- Kersey (1872), Notes on Ixodes dugesii. Quart. Journ. Microsc. Sci., n.s., XII. [Cited by Bonnet, 1907.]
- Kieffer, C. F. (1907), Intermittent Tick Fever; preliminary report on a new type of fever due to tick bite (Ixodiasis). *Journ. Amer. Med. Assoc.*, xLVIII. 1154-1158.
- King, H.·H. (1908), Ticks. 3rd Report Wellcome Research Laboratories, Khartoum, 220-222, pl. xxvi. [Brief description of Argas persicus, Ornithodorus savignyi. Coloured pl. of A. marmoreum & \varphi, Hyalomma aegyptium & \varphi, O. savignyi, A. persicus. Lists other species occurring in Soudan: Boophilus, Rhipicephalus, Aponomma.]
- —— (1911), Ticks. 4th Rept. Wellcome Research Laboratories, Khartoum. Vol. B: General Science, 128-130. [Argas brumpti found at Gebelein; other known species of Ixodes, Haemaphysalis, Dermacentor, Aponomma, and Amblyomma listed.]
- King, W. V., see Bishopp, F. C.
- Kinghorn, A., Yorke, W., and Lloyd, L. (10. VI. 1913), Final Report of the Luangwa Sleeping Sickness Commission of the British South Africa Company, 1911-12. Ann. Trop. Med. and Parasitol., VII. 183-302, 11 Pls. Rev. in Rev. Applied Entomol., I., ser. B, 168-172. [O. moubata.]
- Kleine, F. K., and Eckard, B. (1913), Ueber die Lokalisation der Spirochäten in der Rückfallfieberzecke (Ornithodorus moubata). Zeitschr. f. Hyg. u. Infektionskrankh., LXXIV. 389-394.
- Knab, F. (IV. 1912), Unconsidered factors in disease transmission by blood-sucking insects. *Journ. Econ. Entomol.*, v. 196–200. [P. 200: casual reference to ticks; nothing original.]
- Knuth, P. (1911), Feststellung von Haemaphysalis punctata beim Rinde im Kreise Apenrade. Berliner tierürztl. Wochenschr., No. 48; also in Beiheften z. Arch. f. Schiffs- und Tropen-Hyg., XVI. Repr., 12 pp. 8 Figs. [of I. ricinus, I. hexagonus, reproduced from Nuttall, Warburton, Cooper and Robinson, Ticks, pt. II., and H. punctata reproduced from Nuttall, Cooper and Robinson, 1908].
- —— (1912a), Kommen auch in Deutschland beim Rinde verschiedene Arten von Piroplasmen oder ähnliche Blutparasiten vor? Berl. tierürztl. Wochenschr., No. 17, 10 pp., 4 Figs., reprint. [Ixodes ricinus and Haemaphysalis punctata referred to as carriers.]
- —— (1912b), Erwiderung auf den Artikel des Herrn Kreistierarztes Witt: Die Malaria des Rindes (Milzzerreissung). Berl. tierürztl. Wochenschr., No. 40, 20 pp., 4 Figs., repr. [Brief mention of ticks: I. ricinus.]
- —— (17. VII. 1912), Bemerkungen zu dem Artikel des Herrn Prof. Dr. Miessner betreffend die Milzruptur des Rindes bzw. perakute Form der Hämoglobinurie des Rindes in Bd. LXII. p. 471 dieses Centralblattes. Centralbl. f. Bakt., 1 Abt., Orig., LXV. 296-303. [Pp. 299-300: Ixodes ricinus and Haemaphysalis punctata referred to, in relation to bovine piroplasmosis in Germany.]
- 1913, Weitere Beobachtungen über Haemaphysalis punctata als wahrschein-

### Bibliography of the Ixodoidea. II KOB-LAW

- lichen Überträger des Erregers der inneren Verblutung (Milzruptur) beim Rinde. Berl. tierärztl. Wochenschr., Nos. 47 and 48, 10 pp., repr.
- Kobert, R. (1900), Lehrbuch der Intoxicationen, spec. Theil, 2 Aufl. [Refers to A. persicus; reference communicated by J. C. Huber.]
- Koch, R. (1904), Rhodesian Redwater or African Coast Fever. Agric. Journ. Cape of Good Hope, XXIV. 33-43.
- Kohl-Yakimoff, N., see Yakimoff, W. L.
- Korschann, J. (1910), Beiträge zur Kenntnis des seuchenhaften Blutharnens der Rinder auf Grund eigener Beobachtungen und Untersuchungen. Österr. Monatsschr. f. Tierheilk., xxxv. 481. Rev. in Gentralbl. f. Bakt., 1911, L. Referate, 11–12. [Ixodes rivinus in relation to bovine piroplasmosis in Mähren.]
- Künssberg, K. von [née Samson] (1. IX. 1911), Eine Anticoagulindrüse bei Zecken. Zool. Anzeiger, XXXVIII. 263-268, Figs. 1-2. [Ornithodorus moubata, with mention of Ixodes ricinus.]
- Laat, J. E., Van der (1913), Las garrapatas, grave plaga que debe desaparecer. Boletin Fomento, San José, Costa Rica, 111. 259–263, 2 Pls. Rev. in Rev. Applied Entomol., 1., ser. B, 159.
- Laboulbène and Mégnin (1885), Les Argas du Mexique. Journ. Anat. Physiol., xxi. [Cited by Bounet, 1907.]
- Lahille, F. (1909), Un viaje por el mundo de las garrapatas. Revista del Jardín Zoológico de Buenos Aires, vi. 203–219, Oct. 1909, 287–341, Figs. 1–20, Jan. 1910. [Cited in bibliogr. by Wolffhügel 1911.]
- —— (1911), La fecundidad de la garrapata comun del ganado y los varios periodos de su vida, su nombre científico. *Boletin del Ministerio de Agricultura*, XIII. 185–200. [Cited in bibliogr. by Wolffhügel, 1911.]
- (1913), Nota sobre Ixodes de la República Argentina y la medición de las Garrapatas. Boletin del Ministerio de Agricultura, Buenos Aires, reprint, pp. 2-14, 9 Figs. [Ixodes nuttalli n. sp.; 7 original figures illustrating I. nuttalli, I. loricatus.]
- —— (II. (1914), Nota sobre la presencia accidental en Buenos Aires de unas Garrapatas de Camello. *Bol. Minist. Agric. Buenos Aires*, xvII. 289–293, 3 Pls. [*Hyalomma aegyptium* found on camels imported from Dakar and from the Canary Islands.]
- Lamoureux, A. (1913), Présence d'Ornithodorus moubata dans un foyer de fièvre récurrente à la côte ouest de Madagascar. Bull. Soc. pathol. Exot., vi. 146-149.
- Laurie, D. F. (1912), The Poultry Tick. Dep't Agricult. of S. Australia, Adelaide, Bull. No. 74, 32 pp., 31 Illustrations.
- Laveran, A., and Pettit, A. (1910), Sur le rôle d'Hyalomma aegyptium L. dans la propagation de Haemogregarina mauritanica Ed. et Et. Sergent. C. R. Ass. franc. Av. Sc., xxxvIII. 723-726.
- Laws, H. E. (1911), Note on the eradication of Ticks by the Starvation Method. Agric. Journ. Union of South Africa, 1. 570-579.
- (V. 1911), Eradication of Ticks by the Starvation Method. (Second article.)

  Agric. Journ. Cape of Good Hope, XXXVII. 9-19.
- (VI. 1911), The eradication of Ticks by the Starvation Method. Veterinary News, London, VIII. 343-345; 357-360.

### Bibliography of the Ixodoidea. II LAW\_LLO

- Laws, H. E. (VI. 1913), The Tick-killing properties of Sodium Arsenate. Agric. Journ. Union of S. Africa, v. 915-921. Rev. in Rev. Applied Entomol., I., ser. B, 152-153.
- --- (VII. 1913), How ticks are killed when cattle are dipped. Agric. Journ. Union of S. Africa, vi. 49-54. Rev. in Rev. Applied Entomol., i., ser. B, 214-215.
- ---- see Cooper, W. F.
- Laws, H. E., and Manning, B. (1911), Eradication of Ticks by the Starvation Method. Agric. Journ. Cape of Good Hope, XXXVII. 9-17.
- Legislation (16. VIII. 1913), To prevent the introduction of Fowl Ticks into Australia.

  Commonwealth of Australia Gazette, No. 57. Rev. in Rev. Applied Entomol., I., ser. B, 189.
- Lehmann, R. (1899), Die Rinderpest in Queensland und ihre Ursache. *Die Natur*, xlviii. 412-413, 1 Fig. [*I. bovis.* Biology, chiefly development.]
- Leishman, W. B. (1910), Observations on the mechanism of infection in Tick Fever, and on the hereditary transmission of *Spirochaeta duttoni* in the Tick. *Trans. Soc. Trop. Med. and Hyg.*, 111. 77-95, 1 Pl. Discussion, pp. 96-106; also *Lancet*, I. 11-14; also (abstract) *Journ. Trop. Med.*, etc., XIII. 42-45. [Infection voided by tick in secretion of Malpighian tubules.]
- Levendian, H. (1. IV. 1903), Contribution à l'étude de l'Ixodes hexagonus Leach (son parasitisme chez l'homme). Thèse présentée et publiquement soutenue à la Faculté de Médecine de Montpellier. xii + 40 pp., no Figs., 8°. Montpellier: Gustave Firmin, Montane et Sicardi.
- Lewallen, W. M., see Graybill, H. W.
- Lewis, R. T. (1901), Copulation of Ixodes reduvius. Journ. Roy. Microsc. Soc. [Cited by Bonnet, A., 1907.]
- Lignières, J. (1. III. 1903), Indicaciones sobre la aplicación práctica y económica de los baños garrapaticidas. Bol. de Agric. y Gunud., Buenos Aires, III., 172-180.
- (VIII. 1909), Los progresos realizados en la lucha contra la garrapata. Rev. Zootécnica y Bol. de Agric. y Ganad., Buenos Aires, I., No. 3. [Cited in bibliogr. by Wolffhügel, 1911.]
- —— (IX. 1909), Cuestiones de actualidad : la vacunación y revacunación en las zonas de garrapatas. Rev. Zootécnica y Bol. de Agric. y Ganad., Buenos Aires, I. 123–124. [Cited in bibliogr. by Wolffhügel, 1911.]
- —— (1909), La profilaxis y la patologia de las enfermedades protozoarias (piroplasmosis, tripanosomosis, etc. (con demostración de los parásitos especificos y de los animales transmisores (garrapatas, mosquitos, etc.). IX Congreso Int. d. Med. Veter. de la Haya. Sesiones generales, 7 cuestión. Revista Zootécnica y Bol. de Agric. y Ganad., Buenos Aires, 1. 225-228; 264-269; 299-307 (Nov. 1909). [Cited in bibliogr. by Wolffhügel, 1911.]
- —— (1914), Maladies transmises par les Tiques; leur Classification, Traitement et Prophylaxie [followed by summaries in English and German]. Xth Internat. Veterinary Congress, London. Reprint 21 pp. [issued in advance of Congress].
- Lignières, J., and Zabala, J. (15. IX. 1902), Estudio sobre la eficacia, ventajas é inconvenientes de los productos destinados á destruir la garrapata. Bolet. de Agr. y Gan., Buenos Aires, III.; also Ann. Soc. Rural. Argentina, Buenos Aires, XXXVII. 435-438. [Cited in bibliogr. by Wolffhügel, 1911.]
- Lloyd, L., see Kinghorn, A.

## Bibliography of the Ixodoidea. II LÖN-MAR

- Lönnberg, E. (1912), see Neumann, L. G. (10. I. 1912).
- Lounsbury, C. P. (1902a), Longevity of a species of tick. Agric. Journ. Cape of Good Hope, xx. 639-641.
- —— (1902b), The plague of ticks: their destruction by oil-spraying. *Veterinary Journ.*, London, n. s. vi. 361-367.
- Luhs, J., see Dschunkovsky, E.
- McAtee, W. L. (1911 a), Bird enemies of the Texas Fever tick and other ticks. *Auk*, xxvIII. 136-138.
- MacCabe, F. F. (1911), Horse-mastership; a lecture with an appendix including some notes on the schooling of jumpers, the bacteriology of coughing, and the diseases carried by horse-flies, ticks, and tsetse flies. London: Ballière, Tindall & Cox. 81 pp., 8°.
- McCampbell, E. F., see Phillips, J. M.
- McClintic, T. B. (1912), Investigations of, and tick eradication in Rocky Mountain Spotted Fever; a report of work done on Spotted Fever in co-operation with the State Board of Health of Montana. Pub. Health Rept., U. S. Marine Hosp. Serv., Washington, xxvii. 732-760.
- MacDougall, R. S. (1906), Insects and Arachnids in relation to the spread of disease. *Pharm. Journ.*, London, 4 s., XXII. 60.
- MacKellar, W. M., and Hart, G. H. (1911), Eradicating cattle ticks in California.
  Ann. Report, U. S. Dep't Agric., Bur. Animal Industry, Washington, D. C., 283-300, 1 Pl.
- Mackie, F. P., see Bruce, D.
- McWeeney, E. J. (II. 1899), Reports on recent bacteriological and hygienic researches. Koch's work on plague in Africa, Tsetse-fly disease and Texas fever. *Journ. State Medicine*, VII. 115–120.
- Malm, O. (1904), Om blodparasiter. Norsk Veterinaer-Tidsskrift, xvi. 105-128, 1 Fig., reprint. [p. 113, Ticks briefly mentioned in connection with bovine piroplasmosis.]
- Manson, P. (1903), Trypanosomiasis on the Congo. Journ. Trop. Med., vi. 85-87. [Ornithodorus.]
- Manning, B., see Laws, H. E.
- Marchoux, E., and Couvy, L. (II. 1912), Argas et spirilles. Bull. Soc. Méd. Exotique, Paris, v. 63-68. [Argas persicus in relation to Spirochaeta gallinarum.]
- (1912), Argas et spirochètes. Bull. Soc. Pathol. Exot., v. 796-798.
- —— (25. VI. and 25. VIII. 1913), Argas et Spirochètes. Ann. Inst. Pasteur, XXVII., No. 6, 453–480, 15 Figs.; No. 8, 620–643. Rev. in Rev. Applied Entomol., I., ser. B, 215–216.
- Marek, J., see Hutyra.
- Marès, R. (15. I. 1911), La lutte contre la Piroplasmose; Extermination des Tiques. Bull. Agricole d. l'Algerie et d. l. Tunisie, 17e Année, No. 2, 36–45.
- —— (15. II. 1911), La lutte contre la Piroplasmose (suite et fin). *Ibid.*, No. 4, 80-99.
- Marzinovski, E. J. (1910), Die Verbreitung der Krankheiten durch Insekten und Zeckenstiche. Rés., pt. 2, 134. *Biol. Journ.*, *Moscow*, I., pt. 2, 117-134.
- (VI. 1914), Роль насѣкомыхъ въ распространеніи заразныхъ болѣзней.
  [The rôle played by insects in spreading infectious diseases.]—" Природа."

3-2

## Bibliography of the Ixodoidea. II MAS-MEG

- [Nature], St. Petersburg (?), pp. 714-735, 14 Figs. [Piroplasmosis of cattle transmitted in Russia by *I. ricinus*, piroplasmosis of horses by *Dermacentor reticulatus*. *Ornithodorus tholozani* transmits a disease resembling recurrent fever, in Transcaspia. Spirochaetosis of geese transmitted by *Argas persicus*, in Caucasia. Rev. in *Rev. of Applied Entomol.* s. B, Med. and Veter., II. 119.]
- see Bielitzer, A. W.
- Massey, A. Y. (1908), Some ticks of Central Africa. Journ. Trop. Med., XI. 70.
- Mathis (1909), La piroplasmose canine au Tonkin. Bull. Soc. pathol. Exot., II. 380. Rev. in Arch. f. Schiffs- u. Tropen-Hyg., XIV. 787.
- Maurizio, A. (1910), Von den Zecken als Krankheitsüberträger. Schweiz. landwirtsch. Zeitschr. Jahrg. xxxvIII. 1203-1206.
- Maver, M. B. (IV. 1911), Transmission of spotted fever by other than Montana and Idaho ticks. *Journ. Infect. Diseases*, VIII. 322–326. [Experiments with *Dermacentor marginatus* Banks, *D. variabilis* (Say), and *Amblyomma americanum* L. gave positive results.]
- —— (IV. 1911 a), Transmission of spotted fever by the tick in nature. Journ. Infect. Diseases, VIII. 327-329; also in Ricketts, H. T., Contributions to Medical Science. [Experiments with Dermacentor modestus and D. venustus.]
- —— (1911), Transmission of Spotted Fever by other than Montana and Idaho Ticks. *Journ. Infect. Dis.*, vIII. 322-326; also in Ricketts, H. T., *Contributions to Medical Science*, Chicago, pp. 440-444.
- Maxey, E. E. (XII. 1908). Rocky Mountain Spotted (Tick) Fever, with special reference to casual factors, mortality and geographical distribution in Idaho. *Med. Sentinel*, Portland, Oreg., U. S. A., XVI. 666-678. (Discussion, 704-711.)
- Mayer, A. (1911), Über die Wirkung des tellursäuren Kaliums als Fliegenmittel.

  Monatschr. f. prakt. Tierheilk., xxIII. 49. Rev. in Centralbl. f. Bakt., 1912
  (Referate), III. 92-93. [Potassium tellurate per os produces a garlicky odour emanating from the skin which is stated to repel ticks; remedy too expensive for practice, costing 8.50 Marks for 10 grammes.]
- Mayer, M. (1911), Tropenhygiene und Tropenkrankheiten auf der Internationalen Hygiene-Ausstellung zu Dresden. Arch. f. Schiffs- u. Tropen-Hyg., xv. 785-788.
- Mayo, N. S. (VI. 1906), Dips for cattle ticks. American Veter. Rev. Abstract in Journ. Trop. Veter. Sci., Calcutta, 1. 453-454.
- —— 1907, Texas fever and the cattle tick. Estacion Cent. Agron. de Cuba, Bull. 6, 31 pp., 7 Pls., 9 Figs.
- Meek, A., and Greig-Smith, R. (1897), On louping-ill and its connection with the tick. *Veterinarian*, London, LXX. 698-709. [Experimental evidence supposedly proving that *Ixodes* is the means of communicating the disease. Re-statement of the life-history of the parasite.]
- Meek, A., see Greig-Smith, R.
- Mégnin, P. (1881), Argas reflexus (Latr.). Bull. Séances d. l. Soc. Entomol. France, 6 ser., Paris, I. 54. [Cited by Metz, 1911, p. 3, as stating that A. reflexus must be rare, but he soon had to retract the statement, as it was afterwards found commonly about Paris.]
- --- (1883), La Garrapata du Mexique. Naturaliste, p. 309.
- —— (1893), Médecine des Oiseaux, 2nd ed. [Ticks: p. 281, Fig. Reference supplied by J. C. Huber.]

## Bibliography of the Ixodoidea. II MEG-MÜL

- Mégnin, P., see Laboulbène.
- Melvin, A. D., and Price, T. M. (?1906), The preparation of emulsions of crude petroleum. U. S. Dep't Agric., Bur. Anim. Industry, Circular No. 89. Abstracts in Journ. Trop. Veter. Sci., Calcutta, 1906, 1, 454-457.
- Mense, C. (1913), Handbuch der Tropenkrankheiten, 1 Bd., 2 Auflage. Leipzig: Verlag von J. A. Barth. 295 pp., 12 Pls., 200 Text-figs. 27 × 19 cm. [Ticks, pp. 8-39, Figs. 2-43.]
- Merriman, G. (18. VII. 1911), The geographical distribution of Ornithodorus moubata (Murray, 1877). Parasitology, v. 168-173, with a Map. [Summary of our present knowledge regarding the distribution of O. moubata.]
- see Hindle, E.
- Mesnil, F. (1913), Mouches et autres insectes porteurs de maladies infectieuses. Rapports entre les microorganismes et les insectes qui leur servent d'hôtes. *Trans.* 15th Internat. Congr. Hygiene and Demography, Washington, D.C., 23-28, IX. 1912; IV. pp. 185-202. [Brief reference to Ticks, pp. 189-190, 197, 201.]
- Metz, K. (1911), Argas reflexus, die Taubenzecke (Eine monographische Studie).
  Inaug. Dissert. z. Erlang. d. veter.-med. Doktorw. Giessen. Reprinted from Monatsh. f. prakt. Tierheilk., xxII. 481-510, 39 pp., 1 pl. [Photographs of A. reflexus ♂ and ♀, poor; bibliography (partial); contains interesting matter.]
- Michael, A. D. (1899), Acari [of Lake Urmi]. Journ. Linn. Soc. London, Zool. XXVII. 407, 1 Pl. [Argas persicus = A. reflexus.]
- Minett, E. P., and Field, F. E. (1913), Notes on a case of dermal Leishmaniasis in British Guiana. *Brit. Guiana Med. Annual for* 1912, Letchworth: Garden City Press, pp. 96-98. [The patient, a negro, attributed the infection to ticks which had bitten him severely whilst in the bush.]
- Mitchell, J. D., see Hunter, W. D.
- Mohler, J. R. (21. III. 1914), Texas or Tick Fever. U. S. Dep't Agric., Washington, D.C., Farmers' Bull. No. 569, 24 pp., 4 Figs., 1 Map. Rev. in Review Applied Entomol., 11., ser. B: Med. and Veter. (vi. 1914), pp. 101-104. [Boophilus annulatus referred to.]
- Möllers, R. (1908), Insekten und Zecken als Krankheitsüberträger für Menschen und Tiere. Berl. klin. Wochenschr., XLV. 657–660.
- Moore, J. J. (IV. 1911), Time relationship of the Wood Tick in the transmission of Rocky Mountain Spotted Fever. *Journ. Infect. Diseases*, VIII. 339-347; also in Ricketts, H. T., *Contributions to Medical Science*, Chicago. [Experiments with *Dermacentor modestus* and *D. venustus*.]
- Moore, W. (1912), The tick problem in South Africa. Journ. Econ. Entomol., v. 377-384.
- Morstatt, H. (x. 1913), Liste der blutsaugenden Fliegen und Zecken. Der Pflanzer, Dar-es-Salaam, 1x. No. 10, 507-510, 1 Pl. Rev. in Review Applied Entomol., 11., ser. B: Med. and Veter. (111. 1914), 43. [List of ticks of German East Africa: Argasidae—1 sp., Ixodidae—32 spp., chiefly based on S. A. Neave's list in Bull. Ent. Res. 111. 316.]
- Moulé, L. (1912–13), La parasitologie dans la littérature antique ; parasites de la peau et des tissus sous-jacents. *Arch. d. Parasitologie*, xv. 543–595.
- Müller, C. (1896), Die Zeckenplage in den Tropen. Geogr. Zeitschr., 11. 674-679.
- Müller, M. (1910), Arthropoden als Krankheitsüberträger. München. med.

## Bibliography of the Ixodoidea. II NEA-NEU

Wochenschr., No. 46. [A three-line notice in Arch. f. Schiffs-u. Tropen-Hyg., xv. 404, states that this address contains a good survey of the subject.]

#### Neal, D. C., see Hibbard, R. P.

- Neave, C. A. (1911-12), Report of the Department of Agriculture, Nairobi, British E. Africa, 1911-12. Rev. in Rev. Applied Entomol., I., ser. B, 21-22.
- Neave, S. A. (1911), Report on a Journey to the Luangwa Valley, North-Eastern Rhodesia, from July to September, 1910. Bull. Entomol. Res., I. 1910-11, 303-317. With 7 Text-figs. and Map. [Brief mention of occurrence of Ornithodorus moubata on pp. 313 and 316.]
- —— (1912), Notes on the Blood-sucking Insects of Eastern Tropical Africa. Bull. Entomol. Res., III. 275-324, Pls. X and XI. [Ticks—in Local lists of Blood-sucking Arthropods; also native names of certain species.]
- Neumann, L. G. (1908), A new Indian Tick, Ornithodorus lahoriensis. Journ. Trop. Veter. Sci., Calcutta, III. 462-467, 4 Figs. [Merely a partial translation of Neumann, III. 1908, Note VI (pp. 17-21), with a sketchy coloured plate showing O. lahorensis in dorsal and ventral aspect. The name misspelt "lahoriensis."]
- —— (1909) Parasites et maladies parasitaires des oiseaux domestiques, 230 pp., 89 Text-figs. Paris: Asselin et Houzeau. [Ticks: briefly describes Argas, pp. 55–61; Figs. 36–38 of A. reflexus capitulum, and ♀ in dorsal and ventral aspects; p. 38 Ixodidae defined.]
- (1910a), Description de deux nouvelles espèces d'Ixodinae. (Aponomma oudemans in. sp. ♂, Rhipicephalus deltoideus, n. sp. ♂ ♀.) Tijdschrift voor Entomologie, LIII. 10-17, Pl. I, reprint.
- —— (1910b), Ixodidae. Wiss. Ergebn. schwed. zool. Exped. Kilimandjaro, III., Abt. 20, 17-30. [Three nn. subspp. of Ixodes, Rhipicephalus, Dermacentor.]
- (1911 a), Ixodidae in Das Tierreich, herausg. v. T. E. Schulze, im Auftrage der K. Preuss. Akad. d. Wiss. zu Berlin. Berlin: R. Friedländer & Sohn. 26. Lieferung, xvi+169 pp., 76 Text-figures. [Important.]
- —— (1911b), Note rectificative à propos de deux espèces d'Ixodinae. Archiv d. Parasitologie, XIV. p. 415. [Ixodes stilesi n. nom. pro I. elegans Neum. non Guérin.]
- (1911c), Note sur Dermacentor reticulatus Fabricius. Insecta Ann., I. 40, 41. Observation d'une malade piquée par un Dermacentor reticulatus Fabricius, par Stephen Fras, 41-42.
- (10. I. 1912), in Lönnberg, E. (1912), Scorpions, Solpugids and Ixodides collected by the Swedish Zoological Expedition to British East Africa, 1911: Ixodides by L. G. Neumann, Arkiv für Zoologi, VII., No. 4, reprint, pp. 4-8. [Known species listed: Rhipicephalus appendiculatus, R. armatus, R. pulchellus, R. sanguineus, R. simus; Hyalomma aegyptium; Amblyomma hebraeum, A. marmoreum; Dermacentor rhinocerotis; Ornithodorus savignyi.]
- (1. VI. 1913), H. Sauter's Formosa-Ausbeute. Pediculidae, Siphonaptera, Ixodidae. Supplementa Entomologica herausg. vom Deutschen Entomol. Museum, No. 2, pp. 134–137, 2 Text-figs. Berlin-Dahlem. [Argas vespertilionis, Amblyomma testudinarium Koch, Dermacentor atrosignatus Nn., Boophilus annulatus, Rhipicephalus sanguineus, and Haemaphysalis birmaniae recorded; H. formosensis n. sp., ♂ and ♀, described and figured.]
- —— (1913), Un nouveau sous-genre et deux nouvelles espèces d'ixodides. Bull. Soc. Zool. France, XXXVIII. 147-151, 4 Figs. (Rhipicephalus [Pterygodes] fulvus &

## Bibliography of the Ixodoidea. II NEU-NUT

- described and figured from Tunisia, also Amblyomma brimonti ♀ from Guiana; Ambl. goeldii Nn. and A. geayi listed from Guiana.)
- Neumann, L. G. (XI. 1913), Arachnides. I. Ixodidae. (In Voyage de Ch. Alluaud et R. Jeannel en Afrique orientale (1911-1912). Résultats scientifiques.) Pp. 25-35, 5 Text-figs., reprint. Paris: A. Schulz. [Ixodes alluaudi n. sp., Rhipicephalus jeanneli n. sp. and known sp. of Ixodes, Haemaphysalis, Dermacentor, Amblyomma, and Rhipicephalus.]
- Neumann, R. O. (2. III. 1909), Ueber das Verhalten der Spirochäten des Rückfallfiebers im Tierkörper und die experimentelle Uebertragung der Parasiten durch Zecken und Läuse. *München. med. Wochenschr.*, Lvi. 477. [Ornithodorus moubata transmits S. duttoni and S. gallinarum to rats and fowls respectively. Some unfed nymphs survived seven months at 25° C.]
- Neveu-Lemaire, M. (1912), Parasitologie des animaux domestiques, 1257 pp., 770 Text-figs. Paris: J. Lamarre et Cie. [Ticks: pp. 962-994, Figs. 606-639, of which two are doubtfully original.]
- Newstead, R. (1906), On the bionomics of *Ornithodorus moubata*, the intermediary host of human tick fever. *Proc. Assoc. Econ. Biol.*, I. 74-77.
- Newstead, R., Dutton, J. E., and Todd, J. L. (1907), Insects and other Arthropoda collected in the Congo Free State. (Being the 7th Interim Report of the Expedition of the Liverpool School of Tropical Medicine in the Congo, 1903-05.)

  Ann. Trop. Med. and Parasitol., I. 1-112, Pl. I-VI, 21 Text-figs. [Ticks: pp. 98-100, Amblyomma hebraeum Koch; A. splendidum Giebel; A. variegatum (Fabr.); Hyalomma aegyptium L.; Haemaphysalis leachi (Audouin); Margaropus annulatus; M. annulatus var. calcaratus (Birula); Rhipicephalus bursa Can. and Fan.; R. capensis Koch; R. nitens Nn.; R. simus Koch; R. sanguineus (Latreille.)]
- Niles, E. P. (1901), Animal Parasites, VII. Agric. Exp. Sta., Virginia, Bull. 114, 83-95, 5 Figs.
- Noc, see Simond. A.
- Noel, P. (1904), L'Acarus telarius. Naturaliste, Paris, XXVI. 131.
- —— (1906), L'Argas reflexus. Naturaliste, Paris, XXVIII. 132-133.
- (1909), Les Argas de l'instituteur. Naturaliste, Paris, XXXI. 146-147.
- (1910), Coast Gall-sickness—Cattle. Agricult. Journ., Cape of Good Hope, xxxvii. 455-458.
- Nordenskiöld, E. (1911), Zur Anatomie und Histologie von *Ixodes ricinus*, III. *Zool. Jahrb.*, xxxII. 77-106, Text-figs. A-C, Pls. VI-VII.
- Nuttall, G. H. F. (1904), Ticks and Tick-transmitted Diseases (Epidemiolog. Soc.). *The Lancet*, CLXVII. 1785–1786.
- —— (1910), On Haematozoa occurring in wild animals in Africa. *Parasitology*, 108-116. 2 Pls.
- --- New species of ticks (*Ixodes, Amblyomma, Rhipicephalus*). Parasitology, III. 408-416, 7 Figs.
- —— (V. 1911), On symptoms following tick-bites in man. Parasitology, IV. 89–93. [Effects due to the bite of Amblyomma hebraeum and Boophilus decoloratus larvae reported to author from various sources.]
- (x. 1911), Notes on Ticks, I. (1) Ixodes caledonicus, description of male, together with considerations regarding the structure of the foot in male Ixodes.
   (2) Types of parasitism in ticks, illustrated by a diagram, together with some

### Bibliography of the Ixodoidea. II NUT-O'FA

- remarks upon longevity in ticks. (3) Regarding the loss of life in ticks occurring on wandering hosts. *Parasitology*, IV. 175-182, 2 Figs.
- Nuttall, G. H. F. (II. 1912), Russian Ixodoidea. Bull. Soc. Méd. Exotique, Paris, v. 120-122. (Critical remarks and corrections relating to a paper by Yakimoff, Winogradoff and Kohl-Yakimoff. Bull. Soc. Méd. Exotique, Paris, v. pp. 34-41.)
- (II. 1912a), Notes on Ticks, II. (1) New Species (Amblyomma, Haemaphysalis);
   (2) Ixodes putus: description of the hitherto unknown larval stage. Parasitology,
   v. 50-60, 9 Figs.
- —— (II. 1913), The Herter Lectures. I. Spirochaetosis. *Parasitology*, v. 262–274; also *Johns Hopkins Hosp. Bull.*, xxiv. 33–39, 9 Figs. [Ticks and spirochaetosis.]
- —— (IV. 1913a), Note on colouration in Ticks. Parasitology, vi. 49-51, 1 Pl.
- —— (IV. 1913 b), Observations on the Biology of Ixodidae. Part I. Dealing with: Ixodes putus (Pickard-Cambridge, 1876), Neumann, 1899. (2) Ixodes canisuga Johnston, 1849. (3) Ixodes hexagonus Leach, 1815. (4) Ixodes ricinus (Linnaeus, 1758), Latreille, 1804. (5) Haemaphysalis leachi (Audouin, 1827), Neumann, 1897. (6) Haemaphysalis punctata Canestrini and Fanzago, 1877. (7) Hyalomma aegyptium (Linnaeus, 1758), Koch, 1844. (8) Rhipicephalus appendiculatus Neumann, 1908. Parasitology, VI. 68–118, 2 Text-figs.
- —— (VII. 1913a), Notes on Ticks. III. On four new Species of Ixodes. Parasitology, VI. 131-138, 4 Figs. [I. kempi, I. daveyi, I. oldi, I. ricinoides n. spp.]
- —— (VII. 1913b), Parthenogenesis in Ticks. (Preliminary Note.) *Parasitology*, vi. 139-140.
- (VII. 1913c), Rhipicephalus appendiculatus: Variation in Size and Structure due to Nutrition. Parasitology, vi. 195-203, 4 Figs.
- (X. 1913), The Herter Lectures. III. Piroplasmosis. *Parasitology*, vi. 302–320; also *Johns Hopkins Hosp. Bull.*, xxiv. 307–316, 22 Figs. [Ticks referred to.]
- —— (14. V. 1914), "Tick Paralysis" in man and animals. Further published records, with comments. Parasitology, VII. 95-104.
- Nuttall, G. H. F., see Hadwen, S.
- Nuttall, G. H. F., and Hindle, E. (x. 1913), Conditions influencing the transmission of East Coast Fever. Parasitology, vi. 321-332. [Rhipicephalus appendiculatus experiments.]
- Nuttall, G. H. F., Robinson, L. E., and Cooper, W. F. (VII. 1911), Bibliography of the Ixodoidea, pp. vi+68. [2004 titles of publications dealing with ticks and their relation to disease]; in Nuttall, Warburton, Cooper and Robinson: Ticks. A Monograph of the Ixodoidea. Cambridge University Press.
- Nuttall, G. H. F., and Warburton, C. (v. 1911), Ixodoidae Section I. Classification. Section II. The Genus Ixodes, pp. xix+348, 4 plates, 193 text-figs., including two Appendices by Nuttall and Merriman; in Nuttall, Warburton, Cooper and Robinson: Ticks. A Monograph of the Ixodoidea. Cambridge University Press.
- O'Farrell, W. R. (1913), Preliminary note on a new Flagellate, Crithidia hyalommae sp. nov. found in the tick, Hyalomma aegyptium (Linnaeus, 1758). Journ. Trop. Med., xvi. 245.
- —— (XII. 1913), Hereditary Infection, with special reference to its occurrence in *Hyalomma aegyptium* infected with *Crithidia hyalommae*. Ann. Trop. Med. and Parasitol., VII. 545-562, Pls. XXXVIII-XL.

## Bibliography of the Ixodoidea. II OLD—PIX

- Old, J. E. S. (15. I. 1909), Contribution to the study of trypanosomiasis and to the geographical distribution of some of the blood-sucking insects, etc. Journ. Trop. Med. and Hyg., London, XII., 15-22; reprinted in Journ. Trop. Veter. Sci., Calcutta, IV. 395-416. [Pp. 411-415 relate to ticks found by the author in Nyasaland, the same having been examined by Nuttall and Warburton.]
- Olivier, E. (1908), Une invasion d'Argas reflexus. Bull. Soc. entomol. France, 1908, 238
- Oudemans, A. C. (1910a), Over Acarina. *Tijdschr. Entomol.*, LIII. 62-64. (Rudimentary stigmata in larvae of *Ixodidae*.)
- —— (1910b), Acarologische Aanteekningen, XXXIV. Zijn Argasidae jonger of ouder dan Ixodidae? Entomol. Berichten, III. 103-109.
- —— (1910c), A short survey of the more important Families of Acari. Bull. Entomol. Res., 1., 105-119, 22 Figs. [Pp. 106-108, brief mention of ticks, with two poor figures of Rhipicephalus sanguineus φ and Ornithodorus moubata φ respectively.]
- Pagenstecher (1859-1862), Ueber Argas reflexus, Verhandl. d. naturhist. med. Vereins zu Heidelberg, 11. 122. (Cit. Metz, 1911, bibl.)
- Pavesi, P. (1883), Considerazioni sull' acarofauna dell' Abissinia. Rendiconti del R. Instituto Lombardo, ser. 11., xvI., fasc. IX., reprint, 5 pp.
- Pease, H. T. (x. 1908), Spirochaetosis in Fowls due to the Fowl Tick (Argas persicus). Agric. Journ. of India, 111. (pt. 1v.), 309-322, Text-figs. 4-7.
- Pakes, W. C. C. (1912), The Science of Hygiene. A Text-book of Laboratory Practice for Public Health Students. New Edition, revised by A. T. Nankivell, M.D., D.P.H. Methuen & Co. Ltd., London. 164 pp., 80 Figs., 20×13 cm. [P. 141, Ticks referred to in 14 lines, an incredibly bad figure supposed to represent Ixodes ricinus. Grave misstatements.]
- Panzer ( ), Deutschlands Insekten, Krustazeen und Arachnoideen. Fortsetzung, Heft 189, No. 1. [According to Metz, 1911, p. 2, contains the first reference in German literature to Argas reflexus, which had been stated to occur only in France and Italy.]
- Pentz, J. F. (1910), Ticks and Stock Diseases. Agric. Journ. Cape of Good Hope, xxxvi. 475-477.
- Petersen, W. F., see Davis, B. F.
- Pettit, A., see Laveran, A.
- Phillips, J. M., and McCampbell, E. F. (1908), Infectious Jaundice due to *Piroplasma commune*. Centralbl. f. Bakt., 1. Abt., Orig., xlv11. 592-608, 1 Pl., 4 Figs., 1 Chart. [? Pseudoparasites—negative "transmission experiments" with Dermacentor occidentalis and fleas.]
- Pickard-Cambridge, O. (1876), On a new Order and some new Genera of Arachnida from Kerguelen's Island. Family *Ixodides. Proc. Zool. Soc. Lond.*, pp. 260, 261, Fig. 1.
- (VI. 1885), A contribution towards the knowledge of the Arachnida of Epping Forest. *Trans. Essex Field Club*, IV., pt. 1, pp. 41-49. [Records *Ixodes ricinus* on bushes and trees, p. 45.]
- Piot Bey, J. B. (1914), Maladies transmises par les Tiques. Xth Internat. Veterinary Congress, London. Reprint 7 pp. [issued in advance of Congress].
- Pixell, H. L. M. (1913), Notes on Toxoplasma gondii. Proc. Roy. Soc., London, LXXXVII., s. B, 67-77, 1 Pl.

## Bibliography of the Ixodoidea. II POC-REN

Pocock, R. T. (1911), "Ticks" in Encycl. Britannica, 11th ed., vol. xxvi., pp. 936-937, 1 Fig. [Short account of ticks containing some erroneous statements, i.e. that the hypostome is used for piercing the skin of the host; moubata is misspelt monbata; Argas persicus is stated to have been carried from Europe (!) to S. Africa; Dermacentor reticulatus is stated to transmit canine piroplasmosis and possibly Rocky Mountain Fever; heartwater and piroplasmosis in sheep are confused; ricinus is misspelt vicinus. The inaccurate figure of Hyalomma aegyptium 3 is copied from Savigny (1826!).]

Poisot, see Balzer.

Pons, C., see Rodhain, J.

Power, W. M., see Theiler, A.

Price, 'T. M., see Melvin, A. D.

- Prowazek, v. (1906), Morphologische und entwicklungsgeschichtliche Untersuchungen über Hühnerspirochäten. Arb. a. d. Kais. Gesundheitsamte, XXIII. 554.
- R. (? 1914), Os carrapatos sob ponto de vista agricola. (Ticks from the agricultural point of view.) Chacaras e Quintaes, S. Paulo, VII. 43-48, 2 Figs. Rev. in Review of Applied Entomology, vol. II., ser. B (IV. 1914), p. 57. [Rhipicephalus sanguineus and Boophilus annulatus in Brazil; bovine piroplasmosis and trypanblue treatment.]
- Rainbow, W. J. (1906), A synopsis of Australian Acarina. Records of the Australian Museum, vi. 145-193. [Pp. 163-171. Ixodoidea occurring in Australia are listed together with their hosts. Listed are Argas reflexus, A. persicus, Haemaphysalis papuana, H. leachi, H. longicornis Nn., Boophilus annulatus, B. australis, Ixodes ornithorhynchi, I. tasmani, I. holocyclus, Aponomma trimaculatum, Ap. decorosum, Ap. hydrosauri, Ap. concolor, Ap. ecinctum, Amblyomma triguttatum, A. limbatum, A. postoculatum, A. moreliae. Mostly taken from Neumann.]
- Ransom, B. H., and Graybill, H. W. (1912a), Investigations relative to arsenical dips as remedies for cattle ticks. U. S. Dep't Agricult., Bur. Animal Industry, Washington, D.C., Bull. 144, 65 pp., 6 Pls., 1 Fig., reprint.
- —— (1912b) The use of arsenical dips in tick eradication. U. S. Dep't Agric., Bur. Anim. Industry, Washington, D.C., 267-284, 7 Pls.
- Rawson, L. (1899), The Poultry Bug or Tick (Austral. Tropicult.). Queensland Agric. Journ., IV., 355-356, 443-445.
- Raymondaud (1886), Sur l'Ixodes, parasite peu connu de l'homme. Congr. period. internat. d. sc. méd. Compt.-rend., Copenhagen (1884), I., Sect. de path. gén., etc., 48-64.
- Reiber (1882), Note sur l. zool. d. l. cathedr. de Strasbourg. Bull. Soc. H. N. Colmar, 22 and 23, pp. 215.
- Reichert (1910), Ueber Linimente (Kreolin; Kresol-, und Wiener Teerliniment, und deren klinische Bedeutung. Inaug. Dissert. Giessen. [Cited by Metz, 1911, p. 16, as having apparently been the first to test insecticides on Argas reflexus, but only mentions it incidentally.]
- Relation (1890) of Ticks to Texas Cattle Fever. Report Secretary of Agriculture, Washington, D.C., 107-110.
- Rengarten (IV. 1895), [Reisebericht über Argas persicus.] Neue Dörpt'sche Zeitung, Dorpat. [Cited by Kobert, q.v.]

N. II. 25

### Bibliography of the Ixodoidea. II REP\_RUC

- Report (1. VII. 1913), of the Tasmanian Agricultural and Stock Department. Hobart, Tasmania, p. 14. Rev. in Rev. Applied Entomol., II., ser. B, 1.
- Ribaga, C. (1902), Acari sudamericani. Zool. Anz., xxv. 502-508. [Amblyomma neumanni n. sp.]
- Ricketts, H. T. (1911a), The transmission of Rocky Mountain Spotted Fever by the bite of the Wood Tick, Dermacentor occidentalis. In Contributions to Medical Science, Chicago, 288-290.
- —— (1911b), Further observations on Rocky Mountain Spotted Fever and Dermacentor occidentalis. In Contributions to Medical Science, Chicago, 291-298.
- —— (1911 c), Observations on the virus and means of transmission of Rocky Mountain Spotted Fever. In *Contributions to Medical Science*, Chicago, 299-311.
- (1911d), The rôle of the Wood Tick (Dermacentor occidentalis) in Rocky Mountain Spotted Fever, and the susceptibility of local animals to this disease. In Contributions to Medical Science, Chicago, 312–323.
- —— (1911e), Further experiments with the Wood Tick in relation to Rocky Mountain Spotted Fever. In *Contributions to Medical Science*, Chicago, 324-332.
- —— (1911f) A summary of investigations of the nature and means of transmission of Rocky Mountain Spotted Fever. In *Contributions to Medical Science*, Chicago, 333-342.
- Ricketts, H. T., and Wilder, R. M. (1910), The relation of Typhus Fever (Tabardillo) to Rocky Mountain Spotted Fever. Arch. Internal Med., v. 361-370.
- Robertson, W. (1902), Heartwater in Sheep and Goats, Agric. Journ. Cape of Good Hope, XXI. 315-335.
- Robinson, L. E. (XII. 1911), New species of Ticks (Haemaphysalis, Amblyomma).

  Parasitology, 1v. 478–484, 4 Text-figs. [Description of Haemaphysalis silacea n. sp. & \varphi; Amblyomma variegatum var. nocens n. var. \varphi; and A. fiebrigi n. sp. \varphi \varphi.]
- --- see Nuttall, G. H. F.
- Robinson, L. E., and Davidson, J. (17. IV. 1913), The Anatomy of Argas persicus (Oken, 1818). Part I. Parasitology, vi. 20-48, Pls. I-VI, 31 figs., 2 text-figs. [Introduction, pp. 20-24; External Anatomy, pp. 24-45.]
- —— (13. X. 1913), The Anatomy of Argas persicus (Oken, 1818). Part II. Parasitology, vi. 217–256, Pls. XIV–XVII (2 coloured), 17 figs., 8 text-figs. [Technique, pp. 217–220; Integument, pp. 220–222; Alimentary Canal, pp. 222–241; Blood Vascular System, pp. 241–245; Respiratory System, pp. 245–250; Excretory System, pp. 250–252.]
- —— (31. I. 1914), The Anatomy of Argas persicus (Oken, 1818). Part III. Parasitology, vi. 382-424, Pls. XXV-XXVIII (1 coloured), 19 figs., 8 text-figs. [Muscular System, 382-394; Nervous System, 394-402; Genital Organs, 402-420.]
- Rodhain, J., Pons, C., Van den Branden, F., and Bequeart, J. (1913), Rapport sur les travaux de la mission scientifique du Katanga (Oct., 1910-Sept., 1912). Bruxelles: Hayez. [Pp. 7-27; relates to relapsing fever; refers to geographical distribution of Ornithodorus moubata; notes a few fresh localities along Lualaba R. and Katanga district of S. Congo.]
- Rucker, W. C. (6. IX. 1912), Rocky Mountain Spotted Fever. U. S. Public Health Reports, XXVII., No. 36, reprint, 21 pp. [History, distribution, symptoms, pathology, etc.; Dermacentor andersoni Stiles 1905 description, biology, prophylaxis. A good bibliography!]

26 4-2



## Bibliography of the Ixodoidea. II SAC-SIM

- Saceghem, R. van (III. 1914), Les Tiques. Les maladies qu'elles transmettent; les moyens de les détruire. Bull. Agric. du Congo Belge, v. 73-87. Rev. in Rev. of Applied Entomol. s. B, Med. and Veter., II. 111-115. [A historical review; species listed of Amblyomma, Boophilus, Haemaphysalis, Rhipicephalus; tick eradication.]
- Saikovitsch, J. W. (1911), Ueber Rinderpiroplasmose im Rjasanschen Gouvernement. Vestnik obsch. Veterinarii, No. 2 (Russian), 4-line review in Zeitschr. f. Immunitätsforsch. II. Teil, vol. Iv. p. 135, states piroplasmosis occurs in this part of Russia, being transmitted by I. ricinus.
- Salmon, D. E. (1910), Should we discard "Boophilus" for "Margaropus"? Amer. Vet. Review, New York, xxxvIII. 230-232.
- Samson, K. (1910), Zecken als Krankheitsüberträger. Nat. Wochenschr., xxv. 721–725, 3 Figs.
- Sant' Anna, J. F. (VI. 1911), On a disease in man following tick-bites and occurring in Lourenço Marques. *Parasitology*, IV. 87-88. [Effects due to bites of larvæ of *Amblyomma hebraeum* and *Rhipicephalus simus*.]
- Schellack, C. (1909a), Übertragungsversuche der Spirochaete gallinarum durch Argas reflexus Fabr. Centralbl. f. Bakt., XLVI. 1 Abt. Originale, 486-488. Rev. in Arch. f. Schiffs- u. Tropen-Hyg., XIII. 161.
- —— (1909b), Versuche zur Übertragung von Spirochaeta gallinarum und Spirochaeta obermeieri. Arb. a. d. Kais. Gesundheitsamte, xxx. 351. Rev. in Arch. f. Schiffs- u. Tropen-Hyg., xxv. 388.
- Schroeder, E. C. (1907), Notes on the cattle tick and Texas fever. 22nd Ann. Rep. Bur. Anim. Indust., U. S. Dept. Agric., pp. 49-50.
- Schuberg, A., and Böing (1913), Ueber den Weg der Infektion bei Trypanosomen- und Spirochätenerkrankungen. Deutsche med. Wochenschr., xxxix. 877–879. Rev. in Centralbl. f. Bakteriol., LVII. Referate, Beihefte, 226-230.
- Schuckmann, W. von (1913), "Die schmarotzenden Gliederfüssler," in Handb. d. Hygiene, herausg. v. M. Rubner, M. v. Gruber and M. Ficker. Leipzig: S. Hirzel. Vol. III. pp. 342-370. [Ticks: pp. 352-359, Figs. 181, 182, Pl. XXXII. Nothing original, figures poor and antiquated.]
- Schütz, W. (1905), Ueber die Pyrosomenkrankheiten der Rinder. Arch. wiss. prakt. Tierk., XXXI. 317-329. [Transmission by Ixodes.]
- Sergent, E. (1909), Determination des insectes piqueurs et suçeurs de sang. 298 pp., 229 Figs. Paris: Octave Doin et Fils. [Ticks: pp. 3-21, Figs. 1-24, condensed account taken mostly from L. G. Neumann; nothing original.]
- Simond, A., and Noc (1909), Sur l'existence de la spirillose des poules à la Martinique. Compt. rend. Soc. de Biol., 714-716. [Spirochaetosis occurs especially in May to Dec. in fowls, associated with Argas persicus.]
- Simpson, J. J. (1911), Entomological Research in British West Africa, I. Gambia. Bull. Entomol. Res., II. (1911-12), 187-240, 14 Text-Figs., and map. [Ticks: List of species encountered, p. 218; native names, p. 219; instructions for collecting ticks, pp. 232-234.]
- —— (1912a), Entomological Research in British West Africa. II. Northern Nigeria. Bull. Entomol. Res., II. (1911-12), 301-356, Pls. VII-XVI and map. [Ticks: List of species encountered, pp. 322, 328, 346; piroplasmosis (canine), p. 354.]

# Bibliography of the Ixodoidea. II SIM-SUW

- Simpson, J.J. (1912b), Entomological Research in British West Africa. III. Southern Nigeria. Bull. Entomol. Res., III. 137-194, Pls. II-V. [Ticks: Occasional mention of occurrence, and list of species in Records of Blood-sucking Insects and other Arthropoda from Southern Nigeria, p. 185.]
  - (XI. 1913), Entomological Researches in British West Africa. IV. Sierra Leone. (With a map showing the distribution of Glossina and Sleeping Sickness, and 10 photographs by the author.) Bull. Entomol. Res., IV. Part III, 151-190, Pls. XVIII-XXII, and map. [Pp. 184, 185: List of species of ticks found, with native names.]
  - —— (IV. 1914), Entomological Research in British West Africa. V. Gold Coast. Bull. Entomol. Res., v. pp. 1-36, Pls. I-IV. [P. 30: lists ticks found on travels on behalf of Imperial Bureau of Entomol.]
- Sinclair, J. M. (22. VIII. 1910), Report of Committee of Enquiry on African Coast Fever, Southern Rhodesia. Rhodesia: Govt. Printing Office, Salisbury.
- Skinner, B. (24. VIII. 1907), Preliminary note upon ticks infesting rats suffering from plague. Brit. Med. Journ., II. 457. [Species of tick not stated; found on Mus rattus at Nowshera, N. W. Provinces of India.]
- Sluiter, C. P. and Swellengrebel, N. H. (1912), De dierlijke parasieten van den mensch en van onze huisdieren, 2 druk. Amsterdam: Scheltema & Holkema. 526 pp., 1 Pl. roy. 8°.
- Smallwood, W. M. (1913), A Text-Book of Biology. 285 pp., 13 Pls. and 243 illustrations. London: Baillière, Tindall and Cox. [Brief mention of ticks. Nothing original.]
- Smith, G. Elliot (1910), An address on the mechanism of infection in Tick fever and on the hereditary transmission of *Spirochaeta duttoni* in the tick. *Lancet*, CLXXVIII. 11-14.
- Sobernheim ( ), Hühnerspirochäte (Spirochaete gallinarum). Handb. d. pathog. Mikroorgan., v. Kolle u. Wassermann. Erg.-Bd. 1. 590-594.
- Stewart, J. L. (XII. 1908), Clinical phases of Rocky Mountain Spotted Fever.

  Med. Sentinel, Portland, Oreg., U. S. A.
- Stiles, C. W. (1911), Tick (Ixodoidea) Generic Names to be included in the "Official List of Zoological Names." *Nature*, London, LXXXVIII. 42; also in *Science*, N.S. XXXIV. 812 (1912).
- Stockman, S. (1908), Red-water in England and its Carriers. Journ. Comp. Pathol. and Therap., xxi. 225-232; also Veterinary Journ., xxiv. 538-545.
  - —— (31. III. 1909), Redwater. (In) Ann. Rep. Proceedings under "The Diseases of Animals Act" for 1908, pp. 12-17.
- —— (1911), "Ticks: The habits of British Ticks found on Sheep and Cattle" in Board of Agriculture and Fisheries, Annual Reports of Proceedings under the Diseases of Animals Acts, etc., for the year 1910 (London: Darling & Son), pp. 23-32. Also in Journ. Comp. Pathol. and Therapeutics, XXIV. 229-237.
- [Raising notes, etc., relating to Haemaphysalis cinnabarina var. punctata, brief mention of Ixodes ricinus.]
- Supino, F. (1897), Nuovi Ixodes della Birmania. Padova: Stab. P. Prosperini. Con 12 tavole. [Cited by Gestro, R., 1904, p. 32; also by Canestrini, 1897.]
- Suworow, E. K. (1908), Ixodes reduvius, Eine anatomische Skizze. Trav. Soc. Natural. St. Petersbourg, Sect. Zool. et Physiol., xxxvIII. 139-219 in Russian;

### Bibliography of the Ixodoidea. II SWE\_THE

- 220-223, bibliography, partly in Russian; 225-239 condensed version in German; Pls. IV-V.
- Swellengrebel, N. H., see Sluiter, C. P.
- Taschenberg, O. (1889), Bibliotheca zoologica (1860–1880), Ticks, II. 1273, 1277 [nothing new; reference supplied by J. C. Huber].
- Taylor, F. H. (v. 1913), Report of Entomologist. Report for the Year 1911 of the Australian Inst. Tropical Med., Townsville, 22 pp. 3 pls. Rev. in Rev. Applied Entomol., II. ser. B, 11-12.
- Temple, I. U. (read 24. VI. 1912), Acute Ascending Paralysis, or Tick Paralysis.

  Madical Sentinel, Portland, Oregon, U. S. A., IX. 1912, 8 pp., reprint.
- Theiler, A. (1906), Transmission and inoculability of Spirillosis in Cattle. Journ. Trop. Veter. Sci., Calcutta, I. 421-431. [Abstract from Ann. Rep. Transvaal Dept. Agric.]
- (1908), Weitere Versuche, das Ostküstenfieber durch Zecken zu übertragen. Zeitschr. f. Infektionskrankh. d. Haustiere, IV. 265-278.
- —— (1909), Quelques observations concernant la transmission du *Piroplasma bigeminum* par les tiques. *Bull. Soc. Pathol.*, Exot., II. 384. Rev. in *Arch. f. Schiffs- u. Tropen-Hyg.*, XIV. 787.
- —— (1910) Anaplasma marginale (gen. and spec. nova). Report Gov't Veter. Bacteriologist, Pretoria, 1908-9, p. 7. Rev. in Centralbl. f. Bakt., 1911, L. (Referate), pp. 10-11. [Boophilus decoloratus mentioned as "carrier."]
- —— (20. VII. 1911), Transmission of Amakebe by means of Rhipicephalus appendiculatus, the brown tick. Proc. Roy. Soc. London, LXXXIV. ser. B, 112-115. ["Amakebe" a native name for East Coast Fever in Uganda. Gorged nymphs of R. appendiculatus were taken from infected animals and sent to Theiler; the adults which issued, infected calves at Pretoria. The brown tick the commonest in Uganda.]
- (1911a), Über Zecken und die von denselben verbreiteten Krankheiten der Haustiere Süd-Afrikas. Schweizer Archiv f. Tierheilk., IIII. 1. (Rev. in Centralbl. f. Bakt., 1912, II. (Referate), 498.)
- —— (1911b), Transmission of Amakebe by means of Rhipicephalus appendiculatus, the brown tick. Proc. Royal Soc. Lond., s. B, LXXXIV. 112-115; also Journ. Trop. Med., XIV. 275-276.
- —— (1911 c), Some observations concerning the transmission of East Coast Fever by Ticks. 1st Rept. Director Veter. Research, Pretoria, 208-223.
- —— (1911 d), Diseases, Ticks, and their eradication. Agric. Journ. Union South Africa, I. 491-508, 4 Pls.
- —— (1911-12), The transmission of Gall Sickness by Ticks. Veterinary Record, London, xxiv. 630-633.
- (1912 a), Uebertragung der Anaplasmosis mittels Zecken. Zeitschr. f. Infektionskrankh. d. Haustiere, xii. 105-116.
- —— (1912b), Weitere Beobachtungen, betreffend die Uebertragung von Küstenfieber vermittelst Zecken. Zeitschr. f. Infektionskrankh. d. Haustiere, Berlin, XII. 26-42.
- —— (1912c), Some observations concerning the Transmission of East Coast Fever by Ticks. Trans. R. Soc. South Africa, 11. 319-338.
- (1913), Inquiry into Dips and Dipping in Natal. Agric. Journ. Union of

## Bibliography of the Ixodoidea. II THE-TUT

- S. Africa, v. 51-67; v. 249-263: rev. in Rev. Applied Entomol., ser. B, pp. 82-85.
- Theiler, A., Gray, C. E., and Power, W. M. (1914), Diseases transmitted by Ticks; their Classification, Treatment and Eradication [followed by summaries in French and German]. Xth International Veterinary Congress, London. Reprint 17 pp. [issued in advance of Congress].
- Theobald, F. V. (1905), Flies and Ticks as agents in the distribution of disease.

  Nursing Times, London, I. 461, 483.
- —— (1906), Report on Economic Zoology for the Year ending April 1, 1906, pp. 12-13. [Sheep ticks.]
- Thompson, W. and Downing, J. E. (10. II. 1912), The live-stock industry of Honduras. U. S. Dep't Agric., 27th Ann. Rep. Bur. Animal Industry for the Year 1910, pp. 285-295, Pls. XXII-XXV, 1 map. [The authors sent by U. S. Gov't to discover what stock diseases exist in Honduras. They report that Boophilus annulatus occurs throughout the country, causing ravages among cattle during dry season; heavy mortality due to piroplasmosis occurs in imported non-immune cattle. Native cattle owners deny that the ticks are infected, because native (immune) cattle are not noticeably affected—this being the same opinion as that expressed in Porto Rico some years ago.]
- Todd, J. L. (XII. 1912), Tick bite in British Columbia. 'Canadian Medical Assoc. Journ., II. 1118, repr. 2 pp. [Reports relating to effects of bites of ticks spp. which reached author by correspondence; paralysis and sometimes death followed.]
- ---- see Dutton, J. E.
- see Newstead, R.
- Tofohr, O. (1912), Blutläuse und Zecken im Terrarium. Blatt. Aquar.-Terrar.-k'de, xxiii, 418-421.
- Tonnel (1906a), Note sur l'Argas reflexus. Echo méd. du nord, Lille, x. 340-342.
- (1906b), Semaine méd., p. 552. [Cit. by Galli-Valerio, IX. '07, p. 191 as attributing the spread of furunculosis (due to Staphylococcus pyogenes aureus) in a family to the bites of A. reflexus, the tick acting as a carrier.]
- Townsend, C. H. T. (VI. 1913), The possible and probable etiology and transmission of Verruga fever. *Journ. Econ. Entomol.*, vi., 211-225.
  - —— (IX. 1913), Progress in the study of Verruga Transmission by Bloodsuckers. Bull. Entomol. Res., iv. 125-128, Pls. X-XII. [Occurrence of "Ixodes lagotis Gervais" in the adult, nymphal and larval stages on the vizcacha (Lagidium peruarum Meyer) in Peru. Ixodes spp. found on native rats in the higher Andean region and also on birds. Argasid larvae found on goat-sucker and ground owl, also Ornithodorus sp. in mud houses in Chachapoyas region, Peru. O. talaje occurs on sea-birds on guano islands and along Peruvian coast. Specimens of these ticks have been received by Professor Nuttall. Experiments with Verruga transmission negative.]
- Tullgren, A. (1901), On Ixodes arenicola Eichwald. Entom. Tidskr. Arg. xxII, 102. [=Hyalomma aegyptium.]
- Tuttle, T. D. (XII. 1908), Some indications for State control of Rocky Mountain Tick fever. *Med. Sentinel*, Portland, Oreg., U.S.A.
  - —— (1910), Rocky Mountain Spotted (Tick) Fever. 5th Bien. Rept., State Board Health, Montana, 9-12.

## Bibliography of the Ixodoidea. II URI-WIL

- Uribe Botero, A. (1906-7), El Argas reflexus, parasito del hombre. Rev. méd. de Bogotá, 200.
- Van den Branden, F., see Rodhain, J.
- Verney, F. A. (1907), The influence of frost on tick life. Natal Agric. Journ. and Min. Rec., x. 1550-1552.
- Vinogradoff, A. A., see Yakimoff, W. L.
- Vladimiroff ( ), "Hühnerspirochäte" in Kolle and Wassermann Handb., etc., IV. 2.
- Voorhees, J. F., see Cotton, E. C.
- Warburton, C. (12. III. 1912), Notes on the genus *Rhipicephalus*, with the description of new species, and the consideration of some species hitherto described. *Parasitology*, v. 1-20, 12 Figs., reprint.
  - —— (XII. 1912), The Acarina of the Seychelles. *Trans. Linnean Soc. London* (2nd Ser. Zoology), xv. 349-360, Pls. XVII-XIX. [Records *Rhipicephalus sanguineus* from dog, at Mahé, p. 360. With a supplementary note by J. Stanley Gardiner.]
  - —— (1913), On four new species and two new varieties of the Ixodid Genus Haemaphysalis. Parasitology, vi. 121-130, 8 Figs.
- see Nuttall, G. H. F.
- Ward, H. B. (IV. 1913), Article "Arachnida" in Reference Handbook of Medical Sciences, New York: Wm. Wood & Co., vol. 1. 502-516, 26 Figs. [Ticks: pp. 510-515, Figs. 274-286 of which Fig. 286 of Amblyomma americanum is original but shows no details (♀gorged).]
- Watkins-Pitchford, H. (1911a), An illustrated pamphlet on Tick-destruction and the eradication of East Coast Fever and other S. African diseases by dipping. Natal, Maritzburg, and Durban: P. Davis and Sons. 125 pp.
- —— (1911b), Dipping and Tick-destroying Agents. Agric. Journ. Union South Africa, 11. 33-79, 2 Pls., 4 Figs.
- Weber, E. (1863), Argas reflexus. 29. Jahresber. d. Mannheimer Vereins f. Naturkunde, Mannheim. Pp. 28 et seq. [Cited by Metz, 1911, p. 2, as having observed A. reflexus in Mannheim. Allowed tick to bite his forearm: no effect produced.]
- Weiss, A. (1912), Addition au catalogue des arthropodes piqueurs de Djerba. Arch. de l'Institut Pasteur de Tunis, 1902, No. Iv. 227. [Occurrence of Ornithodorus savignyi again recorded (see also Ibid. 1911, No. Iv. 268-274) in fields about Djerba, Tunisia, at base of olive trees near dwellings where cattle occasionally stay. Bites man readily. Also found about Ben-Gardane and on frontier of Tripoli in vII. 1912. It is called "Tobbiah" by indigenes of Tunisia who know it well.]
- Wenyon, C. M. (X. 1911), Oriental Sore in Bagdad, together with observations on a gregarine in Stegomyia fasciata, the Haemogregarine of dogs and the flagellates of houseflies. Parasitology, IV. 273-344, Pls. XII-XVI, 36 Text-figs. [Development of Haemogregarina canis in Rhipicephalus sanguineus.]
- Wienholt, A. (15 VI. 1909), The Tick trouble in Queensland. The Pastoralist's Review..., 5-7.
- Wilder, R. M., see Ricketts, H. T.

### Bibliography of the Ixodoidea. II WOL-ZIE

- Wolbach, S. B. (1914), The distribution and morphology of Spirochaeta duttoni and Spirochaeta kochi in experimentally infected ticks (Ornithodorus moubata). Journ. Med. Research, xxx. 37-48, 3 Pls.
- Wolffnügel, K. (1911), Los Zooparásitos de los animales domesticos en la República Argentina. [Ticks referred to on pp. 81-83, 85. Reference supplied by J. C. Huber. Amblyomma varium, A. maculatum, Margaropus microplus, Rhipicephalus annulatus var. argentinus.]
- Wood, H. P. (1911), Notes on the life-history of the the tick parasite Hunterella hookeri Howard. Journ. Econ. Entomol., 1v. 425-431, Pl. XIX, Figs. 1-5. [Hymenopterous parasite occurring on Rhipicephalus sanguineus and Dermacentor parumapertus marginatus. The author figures the insect and parasitized ticks.]
  - —— (22. XI. 1913), Experiments in the use of sheep in the eradication of the Rocky Mountain Spotted Fever Tick. U.S. Dept. Agric., Bull. No. 45, 11 pp. Rev. in Rev. Applied Entomol., II. ser. B, 2-3.
- Wood, H. P., see Bishopp, F. C.; see Hooker, W. A.
- Yakimoff, L. and Kohl-Yakimoff, N. (1911), Étude des Ixodidés de Russie. Arch. de Parasitol., Paris, xiv. 416-425, Figs. 1-4. [Enumerate known species and describe Rhipicephalus rossicus n. sp., ♂ and ♀ being figured.]
  - —— (III. 1912), Sur la question des Ixodidés de Russie. Bull. Soc. Méd. Exotique, Paris, v. 194-195. [Reply to Nuttall, II. 1912, p. 120.]
- Yakimoff, W. L., Vinogradoff, A. A., and Kohl-Yakimoff (I. 1912), Argas persicus persicus Fischer-Waldheim en Russie d'Europe. Bull. Soc. Méd. Exotique, Paris, v. 39-41. [Lists species of ticks found in Russia. Errors in this paper are pointed out by Nuttall, II. 1912, p. 120.]
- Yorke, W., see Kinghorn, A.
- Zabala, J., see Lignières, J.
- Ziemann, H. (1905), Beitrag zur Verbreitung der blutsaugenden Tiere in West Afrika. Arch. f. Schiffs- u. Tropen-Hyg., 1x. 114-119.
  - —— (I. 1912), Zur Verbreitung der blutsaugenden Tiere in Kamerun. Arch. f. Schiffs- u. Tropen-Hyg., xvi. 53-58, reprint. [Lists species of ticks found, and determined by Neumann.]
  - (III. 1912), Zeckenlarven an Menschen in den Tropen. Archiv f. Schiffsu. Tropen-Hygiene, xvi. 196. [Man often attacked by tick larvae in the
    tropics. Two cases briefly described where 30 and 200 larvae respectively attacked persons who had been in the bush. The larvae produced
    intolerable itching, the condition leading in one case to the wrong diagnosis of
    Phthirius pubis infestation; the tick larvae were not, however, confined to hairy
    parts of skin. Baths useless, rubbing skin all over with petroleum, or repeatedly
    dabbing the ticks with petroleum, promptly cured the condition by removing
    the ticks, of which the species was not determined.]

